Author Index

Aalbers, R. see Hamilton, L. M.

Aalberse, R. C. see Kerkhof, M.

Aalberse, R. C. see Kleine Budde, I.

Aalberse, R. C. see van Strien, R. T.

Abate, P. see Bonsignore, M. R.

Abdeen, Z. see El-Sharif, N.

Åberg, B. see Hesselmar, B.

Åberg, N. see Hesselmar, B.

Abo, M. see Fujimura, M.

Abo, M. see Kita, T.

Abramson, M. J. see Matheson, M. C.

Achatz, G. see Weichel, M.

Adachi, Y. see Itazawa, T.

Adachi, Y. S. see Itazawa, T.

Adam, E. C. & Lackie, P. M. Cell sweeteners: the role of carbohydrates in cell interactions, 859

Adam, E. C., Holgate, S. T., Fildew, C. J. & Lackie, P. M. Role of carbohydrates in repair of human respiratory epithelium using an in vitro model, 1398

Adel-Patient, K., Nahori, M.-A., Proust, B., Lapa e Silva, J. R., Créminon, C., Wal, J.-M. & Vargaftig, B. B. Elicitation of the allergic reaction in β-lactoglobulin-sensitized Balb/c mice: biochemical and clinical manifestations differ according to the structure of the allergen used for challenge, 376

Adner, M. see Kinhult, J.

Advenier, C. see Mechiche, H.

Aguilar León, D. E., Novelo Retana, V. & Martinez-Cordero, E. Antiavian antibodies and rheumatoid factor in pigeon hypersensitivity pneumonitis, 226

Ahlstedt, S. see Magnusson, J.

Ahlström, H. see Möller, C.

Ahmed, J. see Seitzer, U.

Ahn, K.-S. see Jeong, C.-W.

Akdis, C. A. & Akdis, M. Immunological differences between intrinsic and extrinsic types of atopic dermatitis, 1618

Akdis, M. see Akdis, C. A.

Åkerlund, A. see Möller, C.

Akira, S. see Tsuji, R. F.

Akiyama, K. see Yasueda, H.

Akkoc, T. see Ozdemir, C.

Alcocer, M. J. C. see Murtagh, G. J.

Alenius, H. see Lehto, M.

Alenius, H. see Leino, M.

Alfonsi, L. see Peroni, D. G.

Algorta, J. see Gastaminza, G.

Almond, J. see Powell, R.

Almqvist, C. & van Hage-Hamsten, M. Cat and dog allergens - can intervention studies solve their inscrutable riddle?, 1167

Almqvist, C., Egmar, A.-C., Hedlin, G., Lundqvist, M., Nordvall, S. L., Pershagen, G., Svartengren, M., van Hage-Hamsten, M. & Wickman, M. Direct and indirect exposure to pets – risk of sensitization and asthma at 4 years in a birth cohort, 1190

Al-Rabia, M. W., Blaylock, M. G., Sexton, D. W., Thomson, L. & Walsh, G. M. Granule protein changes and membrane receptor phenotype in maturing human eosinophils cultured from CD34⁺ progenitors, 640

Amato, G. see Bonsignore, M. R.

Anderson, S. D. see Currie, G. P.

Andersson, B. see Magnusson, J.

Andersson, P. see Persson, T.

Andersson, U. see Lehto, M.

Annesi-Maesano, I. see Jouaville, L. F.

Anthony, C. see Francis, H.

Antoniak, M. see Fogarty, A.

Aparicio, C. see Battais, F.

Archer, D. B. see Murtagh, G. J. Arilla, M. C. see Asturias, J. A.

Arinami, T. see Jian, Z.

Aromaa, A. see Karjalainen, J.

Arora, N. see Bijli, K. M.

Arshad, S. H. see Kurukulaaratchy, R. J.

Arshad, S. H. see Murtagh, G. J.

Asai, K., Kanazawa, H., Kamoi, H., Shiraishi, S., Hirata, K. & Yoshikawa, J. Increased levels of vascular endothelial growth factor in induced sputum in asthmatic patients, 595

Aspöck, H. see Westritschnig, K.

Aston, L. see Miles, E. A.

Asturias, J. A., Gómez-Bayón, N., Eseverri, J. L. & Martinez, A. Par j 1 and Par j 2, the major allergens from *Parietaria judaica* pollen, have similar immunoglobulin E epitopes, 518

Asturias, J. A., Ibarrola, I., Eraso, E., Arilla, M. C. & Martinez, A. The major *Platanus acerifolia* pollen allergen Pla a 1 has sequence homology to invertase inhibitors, 978

Audicana, M. see Gastaminza, G.

Auer, H. see Westritschnig, K.

Austin, C. P. see Figueroa, D. J.

Ayuso, R. see Fernandes, J.

Azuma, M. see Ogawa, H.

Badier, M. see Boniface, S.

Badorrek, P. see Krug, N.

Baena-Cagnani, C. E. see Martin, A. P.

Bager, P., Rostgaard, K., Nielsen, N. M., Melbye, M. & Westergaard, T. Age at bacille Calmette–Guérin vaccination and risk of allergy and asthma, 1512

Bahceciler, N. N. see Ozdemir, C.

Baldini, M. see Sengler, C.

Banderali, G. see Fiocchi, A.

Baramki, D. see Figueroa, D. J.

Barbara, J., Santais, M.-C., Levy, D. A., Ruff, F. & Leynadier, F. Immunoadjuvant properties of glove cornstarch powder in latexinduced hypersensitivity, 106

Barbeau, B. see Bergeron, C.

Barberio, G. see Pajno, G. B.

Barcella, M. see Tedeschi, A.

Barclay, W. see Powell, R.

Barden, A. see Dunstan, J. A.

Barghuthy, F. see El-Sharif, N.

Barlan, I. B. see Ozdemir, C.

Barnetson, R. St C. see Friedmann, P. S.

Barreto, M. see Ronchetti, R.

Barton, S. see Beghé, B.

Barton, S. see Sayers, I.

Basaran, M. M. see Ozdemir, C.

Basketter, D. A. see Dearman, R. J.

Battais, F., Pineau, F., Popineau, Y., Aparicio, C., Kanny, G., Guerin, L., Moneret-Vautrin, D. A. & Denery-Papini, S. Food allergy to wheat: identification of immunogloglin E and immunoglobulin G-binding proteins with sequential extracts and purified proteins from wheat flour, 962

Baumann, S. see Tresch, S.

Bayley, D. see Gough, L.

Beaudouin, E. see Morisset, M.

Becker, W.-M. see Seitzer, U.

Bedu, M. see Jouaville, L. F.

Beeh, K. M., Beier, J., Kornmann, O., Meier, C., Taeumer, T. & Buhl, R. A single nasal allergen challenge increases induced sputum inflammatory markers in non-asthmatic subjects with seasonal allergic rhinitis: correlation with plasma interleukin-5, 475

Beghé, B., Barton, S., Rorke, S., Peng, Q., Sayers, I., Gaunt, T., Keith, T. P., Clough, J. B., Holgate, S. T. & Holloway, J. W. Polymorphisms in the interleukin-4 and interleukin-4 receptor α chain genes confer susceptibility to asthma and atopy in a Caucasian population, 1111

Beghé, B. see Sayers, I.

Begtrup, K. see Westergaard, T.

Behnke, W. see Krug, N.

Beier, J. see Beeh, K. M.

Beilin, L. J. see Dunstan, J. A.

Bellia, V. see Bonsignore, M. R.

Bengtsson, A. see Holmlund, U.

Bengtsson, U. see Magnusson, J.

Benn, C. S. see Westergaard, T.

Benson, M. see Kinhult, J.

Benyon, R. C. see Lackie, P. M.

Bergeron, C., Pagé, N., Joubert, P., Barbeau, B., Hamid, Q. & Chakir, J. Regulation of procollagen I (α1) by interleukin-4 in human bronchial fibroblasts: a possible role in airway remodelling in asthma. 1389

Berglund, L. see Hoffmann, H. J.

Berkenheide, S. see Lange, J.

Bernardini, R. see Pucci, N.

Bernardo, L. see Fiocchi, A.

Berry, M. A., Birring, S. S., Brightling, C. E. & Pavord, I. D. Cough and asthma, 1481

Bertel, F. see Mortemousque, B.

Bhat, R. K., Page, K., Tan, A. & Hershenson, M. B. German cockroach extract increases bronchial epithelial cell interleukin-8 expression, 35

Bienvenu, J. see Boumiza, R.

Bijli, K. M., Singh, B. P., Sridhara, S., Gaur, S. N. & Arora, N. Effect of various stabilizing agents on *Imperata cylindrica* grass pollen allergen extract, 65

Billen, J. see Hellings, P. W.

Birembault, P. see Mechiche, H.

Birnbaum, J., Ramadour, M., Magnan, A. & Vervloet, D. Hymenoptera ultra-rush venom immunotherapy (210 min): a safety study and risk factors, 58

Birring, S. S. see Berry, M. A.

Bischof, R. J., Snibson, K., Shaw, R. & Meeusen, E. N. T. Induction of allergic inflammation in the lungs of sensitized sheep after local challenge with house dust mite, 367

Bischof, W. see Bolte, G.

Bischof, W. see Topp, R.

Bisgaard, H. see Buchvald, F.

Bishop, S. see Gore, R. B.

Bjartell, A. see Persson, T.

Björkstén, B. see Böttcher, M. F.

Björkstén, B. see Hesselmar, B.

Blaser, K. see Tresch, S.

Blaser, K. see Weichel, M.

Blaylock, M. G., Lipworth, B. J., Dempsey, O. J., Duncan, C. J. A., Lee, D. K. C., Lawrie, A., Douglas, J. G. & Walsh, G. M. Eosinophils from patients with asthma express higher levels of the pan-leucocyte receptor CD45 and the isoform CD45RO, 936

Blaylock, M. G. see Al-Rabia, M. W.

Bleecker, E. R. see Koppelman, G. H.

Blomberg, A. see Bosson, J.

Bocage, A. S. see Jouaville, L. F.

Bodtger, U., Poulsen, L. K. & Malling, H.-J. Retrospective assessment of seasonal allergic symptoms: over-rating but useful, 496

Bohle, B. see Jahn-Schmid, B.

Bohle, B. see Reininger, R.

Böhme, M., Wickman, M., Lennart Nordvall, S., Svartengren, M. & Wahlgren, C. F. Family history and risk of atopic dermatitis in children up to 4 years, 1226

Böhmer, J. see Lindemann, M.

Bohmerova, Z. see Ronchetti, R.

Boichot, E. see Corbel, M.

Bollen, A. see Jacquet, A.

Bolte, G., Bischof, W., Borte, M., Lehmann, I., Wichmann, H.-E. & Heinrich, J. for the LISA Study Group. Early endotoxin exposure and atopy development in infants: results of a birth cohort study, 770

Boltz-Nitulescu, G. see Förster-Waldl, E.

Bonanno, A. see Bonsignore, M. R.

Boner, A. L. see Peroni, D. G.

Bongrand, P. see Boniface, S.

Boniface, S., Koscher, V., Mamessier, E., El Biaze, M., Dupuy, P., Lorec, A.-M., Guillot, C., Badier, M., Bongrand, P., Vervloet, D. & Magnan, A. Assessment of T lymphocyte cytokine production in induced sputum from asthmatics: a flow cytometry study, 1238

Bonini, S. Do neurotrophins play a role in allergic diseases and asthma? 543

Bonsignore, G. see Bonsignore, M. R.

Bonsignore, M. R., Morici, G., Vignola, A. M., Riccobono, L., Bonanno, A., Profita, M., Abate, P., Scichilone, N., Amato, G., Bellia, V. & Bonsignore, G. Increased airway inflammatory cells in endurance athletes: what do they mean?, 14

Boquete, O. see González-Quintela, A.

Borish, L. see Figueroa, D. J.

Borte, M. see Bolte, G.

Bosson, J., Stenfors, N., Bucht, A., Helleday, R., Pourazar, J., Holgate, S. T., Kelly, F. J., Sandström, T., Wilson, S., Frew, A. J. & Blomberg, A. Ozone-induced bronchial epithelial cytokine expression differs between healthy and asthmatic subjects, 777

Böttcher, M. F., Björkstén, B., Gustafson, S., Voor, T. & Jenmalm, M. C. Endotoxin levels in Estonian and Swedish house dust and atopy in infancy, 295

Boughton, J. see Thornton, C. A.

Boumiza, R., Monneret, G., Forissier, M.-F., Savoye, J., Gutowski, M.-C., Powell, W. S. & Bienvenu, J. Marked improvement of the basophil activation test by detecting CD203c instead of CD63, 259

Boumiza, R. see Monneret, G. Bousquet, J. see Roumestan, C.

Bradding, P. see Brightling, C.

Bradding, P. see Brightling, C. E.

Brannan, J. D. see Currie, G. P.

Braun-Fahrländer, C. & Lauener, R. Farming and protective agents against allergy and asthma, 409

Braunstahl, G.-J., Fokkens, W. J., Overbeek, S. E., KleinJan, A., Hoogsteden, H. C. & Prins, J.-B. Mucosal and systemic inflammatory changes in allergic rhinitis and asthma: a comparison between upper and lower airways, 579

Breitenbach, M. see Mari, A.

Bremner, S. A., Carey, I. M., DeWilde, S., Richards, N., Maier, W. C., Hilton, S. R., Strachan, D. P. & Cook, D. G. Early-life exposure to antibacterials and the subsequent development of hayfever in childhood in the UK: case-control studies using the General Practice Research Database and the Doctors' Independent Network, 1518

Bridts, C. H. see Ebo, D. G.

Bridts, C. H. see Hagendorens, M. M.

Brightling, C. & Bradding, P. Response by authors: The role of the mast cell in asthma, 1165 Brightling, C. E., Bradding, P., Pavord, I. D. & Wardlaw, A. J. New insights into the role of the mast cell in asthma. 550

Brightling, C. E., Symon, F. A., Holgate, S. T., Wardlaw, A. J., Pavord, I. D. & Bradding, P. Interleukin-4 and -13 expression is colocalized to mast cells within the airway smooth muscle in asthma, 1711

Brightling, C. E. see Berry, M. A.

Britton, J. see Fogarty, A.

Brönnimann, M. see Haeberli, G.

Brown, J. K., Knight, P. A., Wright, S. H., Thornton, E. M. & Miller, H. R. P. Constitutive secretion of the granule chymase mouse mast cell protease-1 and the chemokine, CCL2, by mucosal mast cell homologues, 132

Brown, J. K. see Pemberton, A. D.

Brown, R. see Cullinan, P.

Bruijnzeel-Koomen, C. A. F. M. see Rijssenbeek-Nouwens, L. H. M.

Bruijnzeel-Koomen, C. A. F. M. see Schade, R. P.

Brunekreef, B. see Kerkhof, M.

Brunekreef, B. see van Amsterdam, J. G. C.

Brunekreef, B. see van Strien, R. T.

Bucht, A. see Bosson, J.

Buchvald, F., Eiberg, H. & Bisgaard, H. Heterogeneity of FeNO response to inhaled steroid in asthmatic children, 1735

Buckendahl, A. see Krug, N.

Buhl, R. see Beeh, K. M. Burney, P. see Luczynska, C.

Burr, M. L., Emberlin, J. C., Treu, R., Cheng, S., Pearce, N. E. & the ISAAC Phase One Study Group. Pollen counts in relation to the prevalence of allergic rhinoconjunctivitis, asthma and atopic eczema in the International Study of Asthma and Allergies in

Bussler, H. see Seitzer, U.

Caddick, H. T. see Dearman, R. J.

Childhood (ISAAC), 1675

Caillaud, D. see Jouaville, L. F.

Calafat, J. see Persson, T.

Calder, P. C. Polyunsaturated fatty acids and cytokine profiles: a clue to the changing prevalence of atopy?, 412

Calder, P. C. see Miles, E. A.

Caminiti, L. see Pajno, G. B.

Campa, L. see Pucci, N.

Campbell, E. see Gough, L.

Candenas, L. see Mechiche, H.

Canonica, G. W. see Di Rienzo, V.

Canonica, G. W. see Holgate, S. T.

Caputo, R. see Pucci, N.

Cardell, L. O. see Kinhult, J.

Carey, I. M. see Bremner, S. A.

Carmichael, A. see Trevillian, L. F.

Carney, A. S. see Powe, D. G.

Carstairs, I. J. see Lee, D. K. C.

Casoni, G. L., Chitano, P., Pinamonti, S., Chicca, M., Ciaccia, A., Fabbri, L. & Papi, A. Reducing agents inhibit the contractile response of isolated guinea-pig main bronchi, 999

Caulet-Maugendre, S. see Corbel, M.

Ceuppens, J. L. see Hellings, P. W.

Chakir, J. see Bergeron, C.

Champan, D. see Noonan, M. J.

Chan, A. W. see Wu, A. Y.

Chan, E. Y. & McKenzie, S. A. Normative data for total serum immunoglobulin E measurements in children of three ethnicities, 752

Chaudhuri, R. see Thomson, N. C.

Cheng, L. see Shimada, T.

Cheng, S. see Burr, M. L.

Cheong, N. see Ramos, J. D. A.

Cheong, N. see Yang, L.

Chernichovski, T. see Sade, K.

Chicca, M. see Casoni, G. L.

Chida, K. see Shirai, T.

Chik, S. C. see Wu, A. Y

Chitano, P. see Casoni, G. L.

Cho, S.-H. see Shim, J.-Y.

Christie, S. N. see Doherty, G. M.

Chua, K. Y. see Ramos, J. D. A.

Chua, K. Y. see Yang, L.

Ciaccia, A. see Casoni, G. L.

Cianferoni, A. see Pucci, N.

Claeys, R. see Hellings, P. W.

Clancy, L. see Yarnell, J. W. G.

Clark, A. T. & Ewan, P. W. Interpretation of tests for nut allergy in one thousand patients, in relation to allergy or tolerance, 1041

Clough, J. B. see Beghé, B.

Clough, J. B. see Sayers, I.

Cochrane, J. see Trevillian, L. F.

Colanardi, M. C. see Nettis, E.

Colin, J. see Mortemousque, B.

Collie, D. D. S. Comparative, complementary and relevant: the immunological basis of ovine lung allergic responses

Collie, D. D. S. see Pirie, R. S.

Conover, C. see Sunyer, J.

Cook, D. G. see Bremner, S. A.

Corbel, M., Caulet-Maugendre, S., Germain, N., Lagente, V. & Boichot, E. Enhancement of gelatinase activity during development of subepithelial fibrosis in a murine model of asthma, 696

Corrigan, C. J., Shiner, R., Shakur, B. H. & Ind, P. W. Methotrexate therapy in asthma increases T cell susceptibility to corticosteroid inhibition. 1090

Crameri, R. see Tresch, S.

Crameri, R. see Weichel, M.

Craven, M. see Simpson, A. 1183

Créminon, C. see Adel-Patient, K.

Crimi, N. see Polosa, R.

Cromwell, O. see Kahlert, H.

Cross, A. L. see Doherty, G. M.

Cuesta-Herranz, J., Pastor, C., Figueredo, E., Vidarte, L., De Las Heras, M., Durán, C., Fernández-Caldas, E., de Miguel, J. & Vivanco, F. Identification of Cucumisin (Cue m 1), a subtilisin-like endopeptidase, as the major allergen of melon fruit, 827

Cullinan, P., Brown, R., Field, A., Hourihane, J., Jones, M., Kekwick, R., Rycroft, R., Stenz, R., Williams, S. & Woodhouse, C. Latex allergy. A position paper of the British Society of Allergy and Clinical Immunology, 1484

Curbishley, L. see Gore, R. B.

Currie, G. P., Haggart, K., Lee, D. K. C., Fowler, S. J., Wilson, A. M., Brannan, J. D., Anderson, S. D. & Lipworth, B. J. Effects of mediator antagonism on mannitol and adenosine monophosphate challenges, 783

Currie, G. P., Jackson, C. M., Lee, D. K. C. & Lipworth, B. J. Allergen sensitization and bronchial hyper-responsiveness to adenosine monophosphate in asthmatic patients, 1405

Currie, G. P. see Lee, D. K. C.

Custis, N. J., Woodfolk, J. A., Vaughan, J. W. & Platts-Mills, T. A. E. Quantitative measurement of airborne allergens from dust mites, dogs, and cats using an ion-charging device, 986

Custovic, A. see Francis, H.

Custovic, A. see Gore, R. B.

Custovic, A. see Simpson, A. 1183

Dahl, C. see Hoffmann, H. J.

Dahl, R. see Hoffmann, H. J.

Dal Bo, G. A. see Tedeschi, A. Dalton, P. see Opiekun, R. E.

Dang, N. H. see Nori, M.

D'Auria, E. see Fiocchi, A.

Davies, D. E. see Hamilton, L. M.

Dawn, G. see Grattan, C. E. H.

de Bruin-Weller, M. S. see Rijssenbeek-Nouwens, L. H. M.

De Casamayor, J. see Mortemousque, B.

De Clerck, L. S. see Ebo, D. G.

De Clerck, L. S. see Hagendorens, M. M.

de Courcey, F. see Doherty, G. M.

de Groot, H. see Vermeulen, A. M.

de Jong, N. W. see Vermeulen, A. M.

de Jongste, J. C. see van Strien, R. T.

de Klerk, E. P. A. see de Kluijver, J.

de Kluijver, J., Grünberg, K., Pons, D., de Klerk, E. P. A., Dick, C. R., Sterk, P. J. & Hiemstra, P. S. Interleukin-1β and interleukin-1ra levels in nasal lavages during experimental rhinovirus infection in asthmatic and non-asthmatic subjects, 1415

De Las Heras, M. see Cuesta-Herranz, J.

de Leon, M. P., Glaspole, I. N., Drew, A. C., Rolland, J. M., O'Hehir, R. E. & Suphioglu, C. Immunological analysis of allergenic crossreactivity between peanut and tree nuts, 1273

de Meer, G., Postma, D. S. & Heederik, D. Bronchial responsiveness to adenosine-5'-monophosphate and methacholine as predictors for nasal symptoms due to newly introduced allergens. A follow-up study among laboratory animal workers and bakery apprentices, 780

de Meer, G. see van Amsterdam, J. G. C.

de Miguel, J. see Cuesta-Herranz, J.

de Nadai, P. see Tsicopoulos, A.

de Weck, A.L. & Sanz, M. L. For allergy diagnostic flow cytometry, detection of CD203c instead of CD63 is not at all an improvement in other hands. 849

Dearman, R. J., Stone, S., Caddick, H. T., Basketter, D. A. & Kimber, I. Evaluation of protein allergenic potential in mice: dose-response analyses. 1586

Dearman, R. J. see Hamilton, L. M.

Dempsey, O. J. see Blaylock, M. G.

Denery-Papini, S. see Battais, F.

Detels, R. see Sunyer, J.

Deurloo, D. T., van Berkel, M. A. T., van Esch, B. C. A. M., Hofhuis, F., Nijkamp, F. P., Oosterwegel, M. A. & van Oosterhout, A. J. M. CD28/CTLA4 double deficient mice demonstrate crucial role for B7 co-stimulation in the induction of allergic lower airways disease, 1297

Devillier, P. see Mechiche, H.

DeWilde, S. see Bremner, S. A.

Dharmage, S. C. see Matheson, M. C.

Di Blasi, P. see Peroni, D. G.

Di Rienzo, V., Marcucci, F., Puccinelli, P., Parmiani, S., Frati, F., Sensi, L., Canonica, G. W. & Passalacqua, G. Long-lasting effect of sublingual immunotherapy in children with asthma due to house dust mite: a 10-year prospective study, 206

Di Stefano, A. see Ricciardolo, F. L. M.

Diaz, A. see Mora, C.

Dick, C. R. see de Kluijver, J.

Dirksen, A. see Linneberg, A.

Dissing, S. see Jensen, B. M.

Dixon, P. M. see Pirie, R. S.

Djukanović, R. see Hamilton, L. M.

Doherty, G. M., Christie, S. N., Skibinski, G., Puddicombe, S. M., Warke, T. J., de Courcey, F., Cross, A. L., Lyons, J. D. M., Ennis, M., Shields, M. D. & Heaney, L. G. Non-bronchoscopic sampling and culture of bronchial epithelial cells in children, 1221

Donner, C. F. see Ricciardolo, F. L. M.

Döring, A. see Schäfer, T.

Douglas, J. G. see Blaylock, M. G.

Doull, I. see Rangaraj, S.

Drachenberg, K. J. see Mothes, N.

Drew, A. C. see de Leon, M. P.

du Toit, G. & Lack, G. Optimizing the diagnosis of peanut and tree nut allergy, 1019

Dumoulin, M. see Murtagh, G. J.

Duncan, C. J. A. see Blaylock, M. G.

Dunkhorst, W. see Krug, N.

Dunstan, J. A., Mori, T. A., Barden, A., Beilin, L. J., Taylor, A. L., Holt, P. G. & Prescott, S. L. Maternal fish oil supplementation in pregnancy reduces interleukin-13 levels in cord blood of infants at high risk of atopy, 442

Dunstan, J. see Prescott, S. L.

Dupuy, P. see Boniface, S.

Durán, C. see Cuesta-Herranz, J.

Durham, S. R. see Wachholz, P. A.

Durrell, B. see Gore, R. B.

Dwyer, T. see Trevillian, L. F.

Eberhard, Y. see Martin, A. P.

Ebner, C. see Jahn-Schmid, B.

Ebo, D. G., Lechkar, B., Schuerwegh, A. J., Bridts, C. H., De Clerck, L. S. & Stevens, W. J. Comments regarding 'Marked improvement of the basophil activation test by detecting CD203c instead of CD63' by Boumiza et al. 849

Ebo, D. G. see Hagendorens, M. M.

Edwards, A. Immunosuppressant drugs in the treatment of allergic eye disease: do they have potential usage?, 1479

Edwards, A. M. The role of the mast cell in asthma, 1164

Egesten, A. see Kinhult, J.

Egesten, A. see Persson, T.

Egmar, A.-C. see Almqvist, C.

Eiberg, H. see Buchvald, F.

Eklund, E. see Erpenbeck, V. J.

El Biaze, M. see Boniface, S.

El-Sharif, N., Abdeen, Z., Barghuthy, F. & Nemery, B. Familial and environmental determinants for wheezing and asthma in a casecontrol study of school children in Palestine, 176

Emberlin, J. C. see Burr, M. L.

Englmann, C. see Noga, O.

Ennis, M. see Doherty, G. M. Enomoto, T. see Shimada, T.

Eraso, E. see Asturias, J. A.

Erdmann, S. M., Heussen, N., Moll-Slodowy, S., Merk, H. F. & Sachs, B. CD63 expression on basophils as a tool for the diagnosis of pollen-associated food allergy: sensitivity and specificity, 607

Eriksson, B. see Hesselmar, B.

Erpenbeck, V. J., Hohlfeld, J. M., Petschallies, J., Eklund, E., Peterson, C. G. B., Fabel, H. & Krug, N. Local release of eosinophil peroxidase following segmental allergen provocation in asthma, 331

Eseverri, J. L. see Asturias, J. A.

Etxenagusia, M. see Gastaminza, G.

Evans, A. E. see Yarnell, J. W. G.

Evans, J. F. see Figueroa, D. J.

Evans, M. J. see Miller, L. A.

Ewan, P. W. see Clark, A. T.

Fabbri, L. see Casoni, G. L.

Fabel, H. see Erpenbeck, V. J.

Fahlbusch, B. see Topp, R.

Faith, A., Richards, D. F., Verhoef, A., Lamb, J. R., Lee, T. H. & Hawrylowicz, C. M. Impaired secretion of interleukin-4 and interleukin-13 by allergen-specific T cells correlates with defective nuclear expression of NF-AT2 and jun B: relevance to immunotherapy, 1209

Falasca, C. see Ronchetti, R.

Fenn, M. H. see Kurukulaaratchy, R. J.

Fernandes, J., Reshef, A., Patton, L., Ayuso, R., Reese, G. & Lehrer, S. B. Immunoglobulin E antibody reactivity to the major shrimp allergen, tropomyosin, in unexposed Orthodox Jews, 956

Fernández, E. see Gastaminza, G.

Fernández-Caldas, E. see Cuesta-Herranz, J.

Fernández-Merino, M. C. see González-Quintela, A.

Ferrannini, A. see Nettis, E.

Ferreira, F. see Mari, A.

Fiebig, H. see Kahlert, H.

Field, A. see Cullinan, P.

Figueredo, E. see Cuesta-Herranz, J.

Figueroa, D. J., Borish, L., Baramki, D., Philip, G., Austin, C. P. & Evans, J. F. Expression of cysteinyl leukotriene synthetic and signalling proteins in inflammatory cells in active seasonal allergic rhinitis, 1380

Fildew, C. J. see Adam, E. C.

Fiocchi, A., Travaini, M., D'Auria, E., Banderali, G., Bernardo, L. & Riva, E. Tolerance to a rice hydrolysate formula in children allergic to cow's milk and soy, 1576

Fireman, E. see Sade, K.

Fischer, P. H. see van Amsterdam, J. G. C.

Flabbée, J. see Morisset, M.

Fletcher, G. see Francis, H.

Flores, I. see Mora, C.

Focke, M., Hemmer, W., Wöhrl, S., Götz, M. & Jarisch, R. Crossreactivity between *Ficus benjamina* latex and fig fruit in patients with clinical fig allergy, 971

Focke, M. see Förster-Waldl, E.

Fogarty, A., Lewis, S. A., Scrivener, S. L., Antoniak, M., Pacey, S., Pringle, M. & Britton, J. Oral magnesium and vitamin C supplements in asthma: a parallel group randomized placebocontrolled trial, 1355

Fokkens, W. J. see Braunstahl, G.-J.

Folkerts, G. see Smit, J. J.

Forbes, A. B. see Matheson, M. C.

Forissier, M.-F. see Boumiza, R.

Forse, P. A. see Pemberton, A. D.

Förster-Waldl, E., Marchetti, M., Schöll, I., Focke, M., Radauer, C., Kinaciyan, T., Nentwich, I., Jäger, S., Schmid, E. R., Boltz-Nitulescu, G., Scheiner, O. & Jensen-Jarolim, E. Type I allergy to elderberry (Sambucus nigra) is elicited by a 33.2 kDa allergen with significant homology to ribosomal inactivating proteins, 1703

Foster, P. S., Webb, D. C., Yang, M., Herbert, C. & Kumar, R. K. Dissociation of T helper type 2 cytokine-dependent airway lesions from signal transducer and activator of transcription 6 signalling in experimental chronic asthma, 688

Fowler, S. J. see Currie, G. P.

Francis, D. M. see Grattan, C. E. H.

Francis, H., Fletcher, G., Anthony, C., Pickering, C., Oldham, L., Hadley, E., Custovic, A. & Niven, R. Clinical effects of air filters in homes of asthmatic adults sensitized and exposed to pet allergens, 101

Frati, F. see Di Rienzo, V.

Frew, A. J. see Bosson, J.

Frew, A. J. see Varney, V. A.

Friedmann, A. C. see Friedmann, P. S.

Friedmann, P. S., Lee, M.-S., Friedmann, A. C. & Barnetson, R. St C. Mechanisms in cutaneous drug hypersensitivity reactions, 861

Frølund, L. see Linneberg, A.

Fujii, M. see Takao, K.

Fujimura, M., Nishizawa, Y., Nishitsuji, M., Abo, M., Kita, T. & Nomura, S. Longitudinal decline in pulmonary function in atopic cough and cough variant asthma, 588

Fujimura, M. see Kita, T.

Fukuda, S. see Shimada, T.

Fukushima, C. see Tomari, S.

Furukawa, S. see Ichiyama, T.

Gaga, M., Zervas, E. & Loukides, S. The usefulness of inflammatory markers in monitoring treatment responses in asthma, 855

Gagliardi, J. see Martin, A. P.

Gallino, N. see Martin, A. P.

Garcia, L. see Jacquet, A.

Gastaminza, G., Algorta, J., Audicana, M., Etxenagusia, M., Fernández, E. & Muñoz, D. Systemic reactions to immunotherapy: influence of composition and manufacturer, 470

Gaunt, T. see Beghé, B.

Gaur, S. N. see Bijli, K. M.

Geldmacher, H. see Krug, N.

Gellerstedt, M. see Magnusson, J.

Germain, N. see Corbel, M.

Gerriets, J. E. see Miller, L. A.

Gerritsen, J. see Kerkhof, M.

Gerritsen, J. see van Strien, R. T. Gershwin, L. J. see Miller, L. A.

Gerth van Wijk, R. see Vermeulen, A. M.

Gerwien, J. see Jensen, B. M.

Gibbs, B. F. see Plath, K. E. S.

Gibbs, S. see Grattan, C. E. H.

Glaspole, I. N. see de Leon, M. P.

Gómez-Bayón, N. see Asturias, J. A.

Gon, Y. see Mizumura, K.

González-Quintela, A., Gude, F., Boquete, O., Rey, J., Meijide, L. M., Suarez, F., Fernández-Merino, M. C., Pérez, L. F. & Vidal, C. Association of alcohol consumption with total serum immunoglobulin E levels and allergic sensitization in an adult populationbased survey, 199

Gore, R. B., Bishop, S., Durrell, B., Curbishley, L., Woodcock, A. & Custovic, A. Air filtration units in homes with cats: can they reduce personal exposure to cat allergen?, 765

Götz, M. see Focke, M.

Gough, L., Campbell, E., Bayley, D., Van Heeke, G. & Shakib, F. Proteolytic activity of the house dust mite allergen Der p 1 enhances allergenicity in a mouse inhalation model, 1159

Grabbe, J. see Plath, K. E. S.

Grattan, C. E. H., Dawn, G., Gibbs, S. & Francis, D. M. Blood basophil numbers in chronic ordinary urticaria and healthy controls: diurnal variation, influence of loratadine and prednisolone and relationship to disease activity, 337

Gray, R. D. see Lee, D. K C.

Greos, L. see Noonan, M. J.

Griessl, A. see Hauer, A. C.

Grimshaw, K. E. C., King, R. M., Nordlee, J. A., Hefle, S. L., Warner, J. O. & Hourihane, J. O.'B. Presentation of allergen in different food preparations affects the nature of the allergic reaction – a case series, 1581

Groenewoud, G. C. M. see Vermeulen, A. M.

Grosse-Wilde, H. see Lindemann, M.

Grünberg, K. see de Kluijver, J.

Grützkau, A. see Noga, O.

Gude, F. see González-Quintela, A.

Guénard, L. see Morisset, M.

Guerin, L. see Battais, F.

Guest, D. I. see Matheson, M. C.

Guglielmi, F. see Ronchetti, R.

Guillot, C. see Boniface, S.

Gustafson, S. see Böttcher, M. F.

Gutowski, M.-C. see Boumiza, R.

Haahtela, T. see Leino, M.

Hadley, E. see Francis, H.

Haeberli, G., Brönnimann, M., Hunziker, T. & Müller, U. Elevated basal serum tryptase and hymenoptera venom allergy: relation to severity of sting reactions and to safety and efficacy of venom immunotherapy, 1216 Hagendorens, M. M., Ebo, D. G., Schuerwegh, A. J., Huybrechs, A., Van Bever, H. P., Bridts, C. H., De Clerck, L. S. & Stevens, W. J. Differences in circulating dendritic cell subtypes in cord blood and peripheral blood of healthy and allergic children, 633

Haggart, K. see Currie, G. P. Haggart, K. see Lee, D. K. C.

Haider, A. see Sengler, C.

Håkansson, S. & Källén, K. Caesarean section increases the risk of hospital care in childhood for asthma and gastroenteritis, 757

Hales, B. J. see Thomas, W. R.

Hamada, N. see Takao, K.

Hamamichi, M. see Itazawa, T.

Hamid, Q. see Bergeron, C.

Hamilton, L. M., Torres-Lozano, C., Puddicombe, S. M., Richter, A., Kimber, I., Dearman, R. J., Vrugt, B., Aalbers, R., Holgate, S. T., Djukanović, R., Wilson, S. J. & Davies, D. E. The role of the epidermal growth factor receptor in sustaining neutrophil inflammation in severe asthma, 233

Hanf, G. see Noga, O.

Hansen, J. B. see Jensen, B. M.

Hansson, T. see Magnusson, J.

Harada, M. see Takao, K.

Harding, F. $CD4^+$ T cell epitope identification: applications to allergy, 557

Harwanegg, C., Laffer, S., Hiller, R., Mueller, M. W., Kraft, D., Spitzauer, S. & Valenta, R. Microarrayed recombinant allergens for diagnosis of allergy, 7

Harwanegg, C. see Jahn-Schmid, B.

Hasegawa, S. see Ichiyama, T.

Hashimoto, S. see Mizumura, K.

Hatahet, R. see Morisset, M.

Hauer, A. C., Riederer, M., Griessl, A., Rosegger, H. & MacDonald, T. T. Cytokine production by cord blood mononuclear cells stimulated with cows milk proteins in vitro: interleukin-4 and transforming growth factor β-secreting cells detected in the CD45RO T cell population in children of atopic mothers, 615

Haumont, M. see Jacquet, A.

Hauswirt, A. W. see Reininger, R.

Hawrylowicz, C. M. see Faith, A.

Hayashi, S. see Mizumura, K.

Haydn Walters, E. see Matheson, M. C.

Heaney, L. G. see Doherty, G. M.

Hedlin, G. see Almqvist, C.

Heederik, D. see de Meer, G.

Hefle, S. L. see Grimshaw, K. E. C.

Heine, G. see Roever, A. C.

Heine, R. G., Hosking, C. S. & Hill, D. J., Risk factors for atopic dermatitis in infancy: are we closer to effective primary atopy prevention?, 1327

Heinrich, J. see Bolte, G.

Heinrich, J. see Schäfer, T.

Heinrich, J. see Topp, R.

Heinzkill, M. see Mothes, N.

Helenius, H. see Mattila, L.

Helleday, R. see Bosson, J.

Hellings, P. W., Vandekerckhove, P., Claeys, R., Billen, J., Kasran, A. & Ceuppens, J. L. Progesterone increases airway eosinophilia and hyper-responsiveness in a murine model of allergic asthma, 1457

Hemmer, W. see Focke, M.

Henricson, K.-Å. see Möller, C.

Henriquet, C. see Roumestan, C.

Herbert, C. see Foster, P. S.

Herbert Wu, C. H. see Hsieh, K.-Y.

Hershenson, M. B. see Bhat, R. K.

Hesselmar, B., Åberg, B., Eriksson, B., Björkstén, B. & Åberg, N. High-dose exposure to cat is associated with clinical tolerance – a modified Th2 immune response?, 1681 Heussen, N. see Erdmann, S. M.

Hewitt, C. see Mckean, M. C.

Hiemstra, P. S. see de Kluijver, J.

Hiemstra, P. S. see Ricciardolo, F. L. M.

Higa, S., Hirano, T., Mayumi, M., Hiraoka, M., Ohshima, Y., Nambu, M., Yamaguchi, E., Hizawa, N., Kondo, N., Matsui, E., Katada, Y., Miyatake, A., Kawase, I. & Tanaka, T. Association between interleukin-18 gene polymorphism 105A/C and asthma, 1097

Hildebrand, H. see Möller, C.

Hill, D. J. see Heine, R. G.

Hiller, R. see Harwanegg, C.

Hiller, R. see Jahn-Schmid, B.

Hilton, S. R. see Bremner, S. A.

Hintikka, E.-L. see Leino, M.

Hirahara, K. see Tamura, Y.

Hirano, T. see Higa, S.

Hiraoka, M. see Higa, S.

Hirata, K. see Asai, K.

Hizawa, N. see Higa, S.

Hoekstra, M. O. see Smit, J. J.

Hoffmann, H. J., Dahl, C., Schiøtz, P. O., Berglund, L. & Dahl, R. Lectins interact differentially with purified human eosinophils, cultured cord blood-derived mast cells and the myeloid leukaemic cell line AML14.3D10: induction of interleukin-4 secretion is conserved among granulocytes, but is not proportional to agglutination or lectin-glycoprotein interaction, 930

Hofhuis, F. see Deurloo, D. T.

Höglind, A. see Holmlund, U.

Hohlfeld, J. M. see Erpenbeck, V. J.

Hohlfeld, J. M. see Krug, N.

Holgate, S. see Powell, R.

Holgate, S. T., Canonica, G. W., Simons, F. E. R., Taglialatela, M., Tharp, M., Timmerman, H. & Yanai, K. Consensus group on newgeneration antihistamines (CONGA): present status and recommendations, 1305

Holgate, S. T. see Adam, E. C.

Holgate, S. T. see Beghé, B.

Holgate, S. T. see Bosson, J.

Holgate, S. T. see Brightling, C. E.

Holgate, S. T. see Hamilton, L. M.

Holgate, S. T. see Kurukulaaratchy, R. J.

Holgate, S. T. see Sayers, I.

Holgate, S. T. see Sharma, S.

Holloway, J. A. see Thornton, C. A.

Holloway, J. W. see Beghé, B.

Holloway, J. W. see Sayers, I.

Holmlund, U., Bengtsson, A., Nilsson, C., Kusoffsky, E., Lilja, G., Scheynius, A. & Sverremark-Ekström, E. Levels of soluble CD30 in cord blood and peripheral blood during childhood are not correlated with the development of atopic disease or a family history of atopy, 1531

Holmlund, U., Höglind, A., Larsson, A.-K., Nilsson, C. & Sverremark Ekström, E. CD14 and development of atopic disease at 2 years of age in children with atopic or non-atopic mothers, 455

Holt, P. G. see Dunstan, J. A.

Holt, P. G. see Prescott, S. L.

Holt, P. G. see Sharp, M. J.

Holtzer, I. see Sade, K.

Holzmann, D. see Tresch, S.

Homburg, C. H. E. see Lie, W. J.

Hong, S.-J. see Shim, J.-Y.

Hoogsteden, H. C. see Braunstahl, G.-J.

Horie, T. see Mizumura, K.

Hoshino, K. see Tsuji, R. F.

Hosking, C. S. see Heine, R. G.

Hosono, O. see Nori, M.

Hourihane, J. see Cullinan, P.

Hourihane, J. O.'B. see Grimshaw, K. E. C.

Howarth, P. H. see Salib, R. J.

Hsieh, K.-Y., Hsu, C. -I., Lin, J.-Y., Tsai, C.-C. & Lin, R.-H. Oral administration of an edible-mushroom-derived protein inhibits the development of food-allergic reactions in mice, 1595

Hsieh, K.-Y., Tsai, C.-C., Herbert Wu, C. H. & Lin, R.-H. Epicutaneous exposure to protein antigen and food allergy, 1067 Hsu, C.-I. see Hsieh, K.-Y.

Huang, C. H. see Yang, L.

Hubeau, C., Singer, M., Lagranderie, M., Marchal, G. & Vargaftig, B. Extended freeze-dried Mycobacterium bovis Bacillus Calmette-Guérin induces the release of interleukin-12 but not tumour necrosis factor-α by alveolar macrophages, both in vitro and in vivo, 386

Huhtala, H. see Karjalainen, J.

Hulkkonen, J. see Karjalainen, J.

Hunziker, T. see Haeberli, G.

Hurme, M. see Karjalainen, J.

Huybrechs, A. see Hagendorens, M. M.

Hyde, D. M. see Miller, L. A.

Iaina, A. see Sade, K.

ibarrola, I. see Asturias, J. A.

Ichiyama, T., Hasegawa, S., Umeda, M., Terai, K., Matsubara, T. & Furukawa, S. Pranlukast inhibits NF-κB activation in human monocytes/macrophages and T cells, 802

Ide, M. see Shimada, T.

Iivanainen, K. see Remes, S. T.

Ikeda, K. see Takao, K.

Iki, M. see Miyake, Y.

Imajo, K. see Takao, K.

Immonen, A., Saarelainen, S., Rautiainen, J., Rytkönen-Nissinen, M., Kinnunen, T., Mäntyjärvi, R. & Virtanen, T. Probing the mechanisms of low immunogenicity of a lipocalin allergen, Bos d 2, in a mouse model. 834

Ind, P. W. see Corrigan, C. J.

Inouye, S. see Tamura, Y.

Inui, N. see Shirai, T.

Ip, W. K., Wong, C. K. & Lam, C. W. K. Tumour necrosis factor-αinduced expression of intercellular adhesion molecule-1 on human eosinophilic leukaemia EoL-1 cells is mediated by the activation of nuclear factor-κB pathway, 241

Ishikawa, T., Kume, H. Kondo, M., Ito, Y., Yamaki, K. & Shimokata, K., Inhibitory effects of interferon- γ on the heterologous desensitization of β -adrenoceptors by transforming growth factor- β 1 in tracheal smooth muscle, 808

Ishiura, Y. see Kita, T.

Ishizaki, M. see Masuda, T.

Itazawa, T., Adachi, Y., Okabe, Y., Hamamichi, M., Adachi, Y. S., Toyoda, M., Morohashi, M. & Miyawaki, T. Developmental changes in interleukin-12-producing ability by monocytes and their relevance to allergic diseases, 525

Ito, Y. see Ishikawa, T.

Ivey, M. A., Simeon, D. T. & Monteil, M. A. Climatic variables are associated with seasonal acute asthma admissions to accident and emergency room facilities in Trinidad, West Indies, 1526

Iwata, S. see Nori, M.

Izakovicova Holla, L. Interleukin-18 in asthma and other allergies, 1023

Jackson, C. M. see Currie, G. P.

Jackson, C. M. see Lee, D. K. C.

Jacquet, A., Magi, M., Haumont, M., Jurado, M., Garcia, L. & Bollen, A. Absence of immunoglobulin E synthesis and airway eosinophilia by vaccination with plasmid DNA encoding ProDer p 1, 218 Jäger, S. see Förster-Waldl, E.

Jagger, C. see Powe, D. G.

Jahn-Schmid, B., Harwanegg, C., Hiller, R., Bohle, B., Ebner, C., Scheiner, O. & Mueller, M. W. Allergen microarray: comparison of microarray using recombinant allergens with conventional diagnostic methods to detect allergen-specific serum immunoglobulin E. 1443

Jain, V. V., Kitagaki, K. & Kline, J. N. CpG DNA and immunotherapy of allergic airway diseases, 1330

Jamieson, B. see Sunyer, J.

Jansen. D. F. see Koppelman, G. H.

Janssen, N. A. H. see van Amsterdam, J. G. C.

Jarisch, R. see Focke, M.

Järvinen, K.-M., Turpeinen, M. & Suomalainen, H. Concurrent cereal allergy in children with cow's milk allergy manifested with atopic dermatitis. 1060

Järvinen, K.-M. see Österlund, P.

Jeffries, D. see Ota, M. O. C.

Jenkins, D. see Powe, D. G.

Jenmalm, M. C. see Böttcher, M. F.

Jensen, B. M., Hansen, J. B., Dissing, S., Gerwien, J., Skov, P. S. & Poulsen, L. K. Monomeric immunoglobulin E stabilizes FcεRIα from the human basophil cell line KU812 by protecting it from natural turnover, 655

Jensen-Jarolim, E. see Förster-Waldl, E.

Jeong, C.-W., Ahn, K.-S., Rho, N.-K., Park, Y.-D., Lee, D.-Y., Lee, J.-H., Lee, E.-S. & Yang, J.-M. Differential in vivo cytokine mRNA expression in lesional skin of intrinsic vs. extrinsic atopic dermatitis patients using semiquantitative RT-PCR, 1717

Jian, Z., Nakayama, J., Noguchi, E., Shibasaki, M. & Arinami, T. No evidence for association between the -112G/A polymorphism of UGRPIand childhood atopic asthma, 902

Jones, M. see Cullinan, P.

Jones, N. S. see Powe, D. G.

Jørgensen, T. see Linneberg, A.

Jouaville, L. F., Annesi-Maesano, I., Nguyen, L. T., Bocage, A. S., Bedu, M. & Caillaud, D. Interrelationships among asthma, atopy, rhinitis and exhaled nitric oxide in a population-based sample of children, 1506

Joubert, P. see Bergeron, C.

Jung, J.-W. see Park, H.-S.

Jurado, M. see Jacquet, A.

Kahlert, H., Cromwell, O. & Fiebig, H. Measurement of basophilactivating capacity of grass pollen allergens, allergoids and hypoallergenic recombinant derivatives by flow cytometry using anti-CD203c, 1266

Kajiwara, D. see Masuda, T.

Kalimo, K. see Mattila, L.

Källén, K. see Håkansson, S.

Kamoi, H. see Asai, K.

Kanazawa, H. see Asai, K.

Kang, H. see Kim, C. K.

Kanny, G. see Battais, F.

Kanny, G. see Morisset, M.

Karjalainen, J., Hulkkonen, J., Nieminen, M. M., Huhtala, H., Aromaa, A., Klaukka, T. & Hurme, M. Interleukin-10 gene promoter region polymorphism is associated with eosinophil count and circulating Immunoglobulin E in adult asthma, 78

Kasran, A. see Hellings, P. W.

Katada, Y. see Higa, S.

Katayama, N. see Kita, T.

Katz, K. A., Pocock, S. J. & Strachan, D. P. Neonatal head circumference, neonatal weight, and risk of hayfever, asthma and eczema in a large cohort of adolescents from Sheffield, England, 737

Kauffmann, F. see Siroux, V.

Kawaguchi, J. see Tamura, Y.

Kawano, T. see Tomari, S.

Kawasaki, H. see Nori, M.

Kawase, I. see Higa, S.

Kedda, M.-A. see O'Hara, K. A.

Keith, T. see Sayers, I.

Keith, T. P. see Beghé, B.

Kekwick, R. see Cullinan, P.

Kelly, F. J. see Bosson, J.

Kemp, A. see Trevillian, L. F.

Kemp, A. S. see Smart, J. M.

Kerkhof, M., Koopman, L. P., van Strien, R. T., Wijga, A., Smit, H. A., Aalberse, R. C., Neijens, H. J., Brunekreef, B., Postma, D. S. & Gerritsen, J. and the PIAMA study group. Risk factors for atopic dermatitis in infants at high risk of allergy: the PIAMA study, 1336

Kerkhof, M. see van Strien, R. T.

Kilpeläinen, M. see Mattila, L.

Kim, B.-S. see Shim, J.-Y.

Kim, C. K., Kim, J. T., Kang, H., Yoo, Y. & Koh, Y. Y. Sputum eosinophilia in cough-variant asthma as a predictor of the subsequent development of classic asthma, 1409

Kim, H.-A. see Park, H.-S.

Kim, J. T. see Kim, C. K.

Kim, S.-S. see Park, H.-S.

Kim, Y.-K. see Park, H.-S.

Kimber, I. see Dearman, R. J.

Kimber, I. see Hamilton, L. M.

Kinaciyan, T. see Förster-Waldl, E.

King, B. see Prescott, S. L.

King, R. M. see Grimshaw, K. E. C.

Kinhult, J., Adner, M., Uddman, R. & Cardell, L. O. Pituitary adenylate cyclase-activating polypeptide, effects in the human nose,

Kinhult, J., Egesten, A., Benson, M., Uddman, R. & Cardell, L. O. Increased expression of surface activation markers on neutrophils following migration into the nasal lumen, 1141

Kinnunen, T. see Immonen, A.

Kishi, S. see Sengoku, T.

Kita, T., Fujimura, M., Myou, S., Ishiura, Y., Abo, M., Katayama, N., Nishitsuji, M., Yoshimi, Y., Nomura, S., Oribe, Y. & Nakao, S. Potentiation of allergic bronchoconstriction by repeated exposure to formaldehyde in guinea-pigs in vivo, 1747

Kita, T. see Fujimura, M.

Kitagaki, K. see Jain, V. V.

Kitamura, N. see Mizumura, K.

Kiviloog, J. see Raukas-Kivioja, A.

Kivity, S. see Sade, K.

Klaukka, T. see Karjalainen, J.

Kleine Budde, I. & Aalberse, R. C. Histamine-releasing factors, a heterogeneous group of different activities, 1175

KleinJan, A. see Braunstahl, G.-J.

Kleinjan, A. see Powe, D. G.

Kline, J. N. see Jain, V. V.

Knight, D. A. see O'Hara, K. A.

Knight, P. A. see Brown, J. K.

Knight, P. A. see Pemberton, A. D.

Knol, E. F. see Lie, W. J.

Knol, E. F. see Schade, R. P.

Kobayashi, H. see Nori, M.

Kobayashi, S. see Nori, M.

Koch, W. see Krug, N.

Koh, Y. Y. see Kim, C. K.

Kohno, S. see Tomari, S.

Komai, M. see Masuda, T.

Kondo, M. see Ishikawa, T.

Kondo, N. see Higa, S.

Kondo, Y. see Tomari, S.

Koopman, L. P. see Kerkhof, M.

Koopman, L. P. see van Strien, R. T.

Kopp, M. V. see Lange, J.

Koppelman, G. H., Jansen, D. F., Schouten, J. P., van der Heide, S., Bleecker, E. R., Meyers, D. A. & Postma, D. S. Sibling effect on atopy in children of patients with asthma, 170

Kornmann, O. see Beeh, K. M.

Koscher, V. see Boniface, S.

Koskela, H. see Remes, S. T.

Koskenvuo, M. see Mattila, L.

Kraft, D. see Harwanegg, C.

Kraft, D. see Mothes, N.

Kraft, D. see Westritschnig, K.

Kramer, B. see Noonan, M. J. Krause, T. G. see Westergaard, T.

Krauth, M. T. see Mothes, N

Krug, N., Leodding, H., Hohlfeld, J. M., Larbig, M., Buckendahl, A., Badorrek, P., Geldmacher, H., Behnke, W., Dunkhorst, W., Windt, H., Luettig, B. & Koch, W. Validation of an environmental exposure unit for controlled human inhalation studies with grass pollen in patients with seasonal allergic rhinitis, 1667

Krug, N. see Erpenbeck, V. J.

Kucukercan, D. see Ozdemir, C.

Kuehr, J. see Lange, J.

Kuijpers, T. W. see Lie, W. J.

Kullmann, B. see Seitzer, U.

Kumar, R. K. see Foster, P. S.

Kume, H. see Ishikawa, T.

Kunkel, G. see Noga, O. Kuo, I. C. see Yang, L.

Kurokawa, T. see Tsuji, R. F.

Kurukulaaratchy, R. J., Fenn, M. H., Waterhouse, L. M., Matthews, S. M., Holgate, S. T. & Arshad, S. H. Characterization of wheezing phenotypes in the first 10 years of life, 573

Kusel, M. see Sharp, M. J.

Kusoffsky, E. see Holmlund, U.

Kutsuwada, K. see Yasueda, H.

Kwaasi, A. A. A. Date palm and sandstorm-borne allergens, 419

La Grutta, S. see Pajno, G. B.

Lack, G. see du Toit, G.

Lackie, P. M. & Benyon, R. C. What can be learned about the fibrosis of asthma from rodent models?, 546

Lackie, P. M. see Adam, E. C.

Lackie, P. M. see Sharma, S.

Laffer, S. see Harwanegg, C.

Lagente, V. see Corbel, M.

Lagranderie, M. see Hubeau, C.

Lam, C. W. K. see Ip, W. K. Lamb, J. R. see Faith, A.

Lambert, P. C. see Mckean, M. C.

Lange, J., Ngoumou, G., Berkenheide, S., Moseler, M., Mattes, J., Kuehr, J. & Kopp, M. V. High interleukin-13 production by phytohaemagglutinin- and Der p 1-stimulated cord blood mononuclear cells is associated with the subsequent development of atopic dermatitis at the age of 3 years, 1537

Lapa e Silva, J. R. see Adel-Patient, K.

Larbig, M. see Krug, N.

Larsson, A.-K. see Holmlund, U.

Larsson, K. see Raukas-Kivioja, A.

Lau, S. see Sengler, C.

Lauener, R. see Braun-Fahrländer, C.

Lawrie, A. see Blaylock, M. G.

Lechkar, B. see Ebo, D. G.

Lee, B. W. see Ramos, J. D. A.

Lee, B. W. see Yang, L.

Lee, D. K. C., Carstairs, I. J., Haggart, K., Jackson, C. M., Currie, G. P. & Lipworth, B. J. Butterbur, a herbal remedy, attenuates adenosine monophosphate induced nasal responsiveness in seasonal allergic rhinitis, 882

Lee, D. K. C., Gray, R. D. & Lipworth, B. J. Adenosine monophosphate bronchial provocation and the actions of asthma therapy, 287

Lee, D. K. C. see Blaylock, M. G.

Lee, D. K. C. see Currie, G. P.

Lee, D.-Y. see Jeong, C.-W.

Lee, E.-S. see Jeong, C.-W.

Lee, J.-H. see Jeong, C.-W.

Lee, M.-S. see Friedmann, P. S.

Lee, S.-K. see Park, H.-S.

Lee, T. H. see Faith, A.

Lefort, J. see Proust, B.

Lehmann, I. see Bolte, G.

Lehrer, S. B. see Fernandes, J.

Lehto, M., Palosuo, K., Varjonen, E., Majuri, M.-L., Andersson, U., Reunala, T. & Alenius, H. Humoral and cellular responses to gliadin in wheat-dependent, exercise-induced anaphylaxis, 90

Leidy, N. K. see Noonan, M. J.

Leino, M., Mäkelä, M., Reijula, K., Haahtela, T., Mussalo-Rauhamaa, H., Tuomi, T., Hintikka, E.-L. & Alenius, H. Intranasal exposure to a damp building mould, Stachybotrys chartarum, induces lung inflammation in mice by satratoxin-independent mechanisms, 1603

Lennart Nordvall, S. see Böhme, M.

Leodding, H. see Krug, N.

Levo, Y. see Sade, K.

Levy, D. A. see Barbara, J.

Lewis, S. A. see Fogarty, A.

Lewith, G. see Powell, R.

Leynadier, F. see Barbara, J.

Li, W. see Wu, A. Y.

Li, Z. see Wu, A. Y.

Li Gotti, F. see Polosa, R.

Lie, W. J., Homburg, C. H. E., Kuijpers, T. W., Knol, E. F., Mul, F. P. J., Roos, D. & Tool, A. T. J. Regulation and kinetics of platelet-activating factor and leukotriene C4 synthesis by activated human basophils, 1125

Lilja, G. see Holmlund, U.

Lim, L. L.-Y. see Trevillian, L. F.

Lin, J.-Y. see Hsieh, K.-Y.

Lin, R.-H. see Hsieh, K.-Y.

Lindemann, M., Böhmer, J., Zabel, M. & Grosse-Wilde, H. ELISpot: a new tool for the detection of nickel sensitization, 992

Linneberg, A., Petersen, J., Nielsen, N. H., Madsen, F., Frolund, L., Dirksen, A. & Jørgensen, T. The relationship of alcohol consumption to total immunoglobulin E and the development of immunoglobulin E sensitization: the Copenhagen Allergy Study, 102

Lipworth, B. J. see Blaylock, M. G.

Lipworth, B. J. see Currie, G. P.

Lipworth, B. J. see Lee, D. K. C.

Livingston, E. see Thomson, N. C.

Loit, H.-M. see Raukas-Kivioja, A.

Lombardi, E. see Pucci, N.

Lorec, A.-M. see Boniface, S. Loukides, S. see Gaga, M.

Luczynska, C., Tredwell, E., Smeeton, N. & Burney, P. A randomized controlled trial of mite allergen-impermeable bed covers in adult mite-sensitized asthmatics, 1648

Luettig, B. see Krug, N.

Lundbäck, B. see Raukas-Kivioja, A.

Lundqvist, M. see Almqvist, C.

Lyons, J. D. M. see Doherty, G. M.

MacDonald, T. T. see Hauer, A. C.

Machida, I. see Tomari, S.

MacMahon, J. see Yarnell, J. W. G.

Madsen, F. see Linneberg, A.

Magi, M. see Jacquet, A.

Magnan, A. see Birnbaum, J. Magnan, A. see Boniface, S.

Magnusson, J., Gellerstedt, M., Ahlstedt, S., Andersson, B., Bengtsson, U., Telemo, E., Hansson, T. & Peterson, C. G. B. A kinetic study in adults with food hypersensitivity assessed as eosinophil

activation in fecal samples, 1052

Maier, W. C. see Bremner, S. A. Mailing, H.-J. see Bodtger, U.

Majlesi, Y. see Mothes, N.

Majuri, M.-L. see Lehto, M.

Mäkelä, M. see Leino, M.

Makino, T. see Toyoda, M.

Malm, J. see Persson, T.

Malmqvist, L.-A. see Möller, C.

Mamessier, E. see Boniface, S.

Mangano, G. see Polosa, R.

Manning, P. J. see Yarnell, J. W. G.

Mäntyjärvi, R. see Immonen, A.

Marabini, A. see Siracusa, A.

Marchal, G. see Hubeau, C.

Marchant, A. see Ota, M. O. C.

Marchetti, M. see Förster-Waldl, E.

Marcucci, F. see Di Rienzo, V.

Marcucci, F. see Siracusa, A.

Margolick, J. see Sunyer, J.

Mari, A., Schneider, P., Wally, V., Breitenbach, M. & Simon-Nobbe, B. Sensitization to fungi: epidemiology, comparative skin tests, and

IgE reactivity of fungal extracts, 1429

Mari, A., Skin test with a timothy grass (*Phleum pratense*) pollen extract vs. IgE to a timothy extract vs. IgE to rPhl p 1, rPhl p 2, nPhl p 4, rPhl p 5, rPhl p 6, rPhl p 7, rPhl p 11, and rPhl p 12: epidemiological and diagnostic data, 43

Mari, A., Wallner, M. & Ferreira, F. Fagales pollen sensitization in a birch-free area: a respiratory cohort survey using Fagales pollen extracts and birch recombinant allergens (rBet v 1, rBet v 2, rBet v

4), 1419

Mariani, A. L. see Martin, A. P.

Martella, S. see Ronchetti, R.

Martin, A. P., Gagliardi, J., Baena-Cagnani, C. E., Eberhard, Y., Uguccioni, M., Gallino, N., Mariani, A. L. & Serra, H. M. Expression of CS-1 fibronectin precedes monocyte chemoattractant protein-1 production during elicitation of allergic contact dermatitis. 1118

Martinez, A. see Asturias, J. A.

Martinez, F. see Sengler, C.

Martinez-Cordero, E. see Aguilar León, D. E.

Maruoka, S. see Mizumura, K.

Massai, C. see Pucci, N.

Mastruzzo, C. see Polosa, R.

Masuda, T., Tanaka, H., Komai, M., Nagao, K., Ishizaki, M., Kajiwara, D. & Nagai, H. Mast cells play a partial role in allergeninduced subepithelial fibrosis in a murine model of allergic asthma, 705

Masuda, T. see Tsuji, R. F.

Matheson, M. C., Dharmage, S. C., Forbes, A. B., Raven, J. M., Woods, R. K., Thien, F. C. K., Guest, D. I., Rolland, J. M., Haydn Walters, E. & Abramson, M. J. Residential characteristics predict changes in Der p 1, Fel d 1 and ergosterol but not fungi over time, 1281

Mathieu, M. see Roumestan, C.

Matricardi, P. M. & Yazdanbakhsh, M. Mycobacteria and atopy, 6 years later: a fascinating, still unfinished, business, 717

Matsubara, T. see Ichiyama, T.

Matsui, E. see Higa, S.

Matsui, K. & Nishikawa, A. Lipoteichoic acid from Staphylococcus aureus enhances allergen-specific immunoglobulin E production in mice. 842

Matsumoto, K. see Mizumura, K.

Matsuse, H. see Tomari, S.

Mattes, J. see Lange, J.

Matthews, S. see Murtagh, G. J.

Matthews, S. M. see Kurukulaaratchy, R. J.

Mattila, L., Kilpeläinen, M., Terho, E. O., Koskenvuo, M., Helenius, H. & Kalimo, K. Food hypersensitivity among Finnish university students: association with atopic diseases, 600

Mauad, T. see Ricciardolo, F. L. M.

Mavroleon, G. see Varney, V. A.

Mayumi, M. see Higa, S.

McAdam, K. P. W. J. see Ota, M. O. C.

McCrum, E. E. see Yarnell, J. W. G.

McEuen, A. R. see Pemberton, A. D.

McGorum, B. C. see Pirie, R. S.

Mckean, M. C., Hewitt, C., Lambert, P. C., Myint, St. & Silverman, M. An adult model of exclusive viral wheeze: inflammation in the upper and lower respiratory tracts, 912

McKenzie, S. A. see Chan, E. Y.

McPhee, M. L. see Pemberton, A. D.

McSharry, C. B lymphocytes in allergic alveolitis, 159

Mechiche, H., Naline, E., Candenas, L., Pinto, F. M., Birembault, P., Advenier, C. & Devillier, P. Effects of cysteinyl leukotrienes in small human bronchus and antagonist activity of montelukast and its metabolites, 887

Meeusen, E. N. T. see Bischof, R. J.

Meier, C. see Beeh, K. M.

Meijide, L. M. see González-Quintela, A.

Melbye, M. see Bager, P.

Melbye, M. see Westergaard, T.

Merk, H. F. see Erdmann, S. M.

Meyers, D. A. see Koppelman, G. H.

Miadonna, A. see Tedeschi, A.

Miles, E. A., Aston, L. & Calder, P. C. In vitro effects of eicosanoids derived from different 20-carbon fatty acids on T helper type 1 and T helper type 2 cytokine production in human whole-blood cultures. 624

Miller, H. R. P. see Brown, J. K.

Miller, H. R. P. see Pemberton, A. D.

Miller, L. A., Plopper, C. G., Hyde, D. M., Gerriets, J. E., Pieczarka, E. M., Tyler, N. K., Evans, M. J., Gershwin, L. J., Schelegle, E. S. & Van Winkle, L. S. Immune and airway effects of house dust mite aeroallergen exposures during postnatal development of the infant rhesus monkey, 1686

Min, K.-U. see Shim, J.-Y.

Miyake, Y., Yura, A. & Iki, M. Breastfeeding and the prevalence of symptoms of allergic disorders in Japanese adolescents, 312

Miyatake, A. see Higa, S.

Miyawaki, T. see Itazawa, T.

Mizumura, K., Hashimoto, S., Maruoka, S., Gon, Y., Kitamura, N., Matsumoto, K., Hayashi, S., Shimizu, K. & Horie, T. Role of mitogen-activated protein kinases in influenza virus induction of prostaglandin E2 from arachidonic acid in bronchial epithelial cells, 1244

Möller, C., Ahlström, H., Henricson, K.-Å., Malmqvist, L.-Å., Åkerlund, A. & Hildebrand, H. Safety of nasal budesonide in the long-term treatment of children with perennial rhinitis, 816

Möller, C., Xiang, Z. & Nilsson, G. Activation of mast cells by immunoglobulin E-receptor cross-linkage, but not through adenosine receptors, induces A1 expression and promotes survival, 1135

Moll-Slodowy, S. see Erdmann, S. M. Moneret-Vautrin, D. A. see Battais, F.

Moneret-Vautrin, D. A. see Morisset, M.

Monneret, G., Boumiza, R. & Powell, W. S. Response by authors: Detection of CD203c is clearly an improvement for monitoring basophil activation in whole blood, 852

Monneret, G. see Boumiza, R.

Monsef, N. see Persson, T.

Montealegre, F. see Mora, C.

Monteil, M. A. see Ivey, M. A.

Mora, C., Flores, I., Montealegre, F. & Diaz, A. Cloning and expression of Blo t 1, a novel allergen from the dust mite *Blomia* tropicalis, homologous to cysteine proteases, 28

Mori, T. A. see Dunstan, J. A.

Morici, G. see Bonsignore, M. R.

Morimoto, C. see Nori, M.

Morisset, M., Moneret-Vautrin, D. A., Kanny, G., Guénard, L., Beaudouin, E., Flabbée, J. & Hatahet, R. Thresholds of clinical reactivity to milk, egg, peanut and sesame in immunoglobulin E-dependent allergies: evaluation by double-blind or single-blind placebo-controlled oral challenges, 1046

Morohashi, M. see Itazawa, T.

Morohashi, M. see Toyoda, M.

Mortemousque, B., Bertel, F., De Casamayor, J., Verin, P. & Colin, J. House-dust mite sublingual-swallow immunotherapy in perennial conjunctivitis: a double-blind, placebo-controlled study, 464

Moseler, M. see Lange, J.

Mothes, N., Heinzkill, M., Drachenberg, K. J., Sperr, W. R., Krauth, M. T., Majlesi, Y., Semper, H., Valent, P., Niederberger, V., Kraft, D. & Valenta, R. Allergen-specific immunotherapy with a monophosphoryl lipid A-adjuvanted vaccine: reduced seasonally boosted immunoglobulin E production and inhibition of basophil histamine release by therapy-induced blocking antibodies, 1198

Mueller, M. W. see Harwanegg, C.

Mueller, M. W. see Jahn-Schmid, B.

Mul, F. P. J. see Lie, W. J.

Müller, U. see Haeberli, G.

Mullins, R. J., Anaphylaxis: risk factors for recurrence, 1033

Munakata, Y. see Nori, M.

Muñoz, A. see Sunyer, J.

Muñoz, D. see Gastaminza, G.

Murtagh, G. J., Archer, D. B., Dumoulin, M., Ridout, S., Matthews, S., Arshad, S. H. & Alcocer, M. J. C. *In vitro* stability and immunoreactivity of the native and recombinant plant food 2S albumins Ber e 1 and SFA-8, 1147

Mussalo-Rauhamaa, H. see Leino, M.

Mutoh, S. see Sengoku, T.

Myint, St. see Mckean, M. C.

Myou, S. see Kita, T.

Nagai, H. see Masuda, T.

Nagao, K. see Masuda, T.

Nahm, D.-H. see Park, H.-S.

Nahori, M.-A. see Adel-Patient, K.

Nahori, M. A. see Proust, B.

Nakamura, H. see Shirai, T.

Nakamura, M. see Toyoda, M.

Nakao, S. see Kita, T.

Nakayama, J. see Jian, Z.

Naline, E. see Mechiche, H.

Nambu, M. see Higa, S.

Nayak, A. see Noonan, M. J.

Neijens, H. J. see Kerkhof, M.

Neijens, H. J. see van Strien, R. T.

Nemery, B. see El-Sharif, N.

Nentwich, I. see Förster-Waldl, E.

Nettis, E., Colanardi, M. C., Ferrannini, A. & Tursi, A. Suspected tartrazine-induced acute urticaria/angioedema is only rarely reproducible by oral rechallenge, 1725

Ngoumou, G. see Lange, J.

Nguyen, L. T. see Jouaville, L. F.

Nickel, R. see Sengler, C.

Niederberger, V. see Mothes, N.

Nielsen, N. H. see Linneberg, A.

Nielsen, N. M. see Bager, P.

Nieminen, M. M. see Karjalainen, J.

Nierkens, S. see van Amsterdam, J. G. C.

Nigi, H. see Tamura, Y.

Nijkamp, F. P. see Deurloo, D. T.

Nijkamp, F. P. see Smit, J. J.

Nilsson, C. see Holmlund, U.

Nilsson, G. see Möller, C.

Nishikawa, A. see Matsui, K.

Nishimura, N. see Ogawa, H.

Nishioka, K. see Yasueda, H.

Nishioka, Y. see Ogawa, H.

Nishitsuji, M. see Fujimura, M. Nishitsuji, M. see Kita, T.

Nishitsuji, Wi. see Kita, 1.

Nishizawa, Y. see Fujimura, M.

Niven, R. The endotoxin paradigm: a note of caution, 273

Niven, R. see Francis, H.

Noga, O., Englmann, C., Hanf, G., Grützkau, A., Seybold, J. & Kunkel, G. The production, storage and release of the neurotrophins nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 by human peripheral eosinophils in allergics and non-allergics, 649

Noguchi, E. see Jian, Z.

Nomura, S. see Fujimura, M.

Nomura, S. see Kita, T.

Noonan, M. J., Raphael, G. D., Nayak, A., Greos, L., Olufade, A. O., Leidy, N. K., Champan, D. & Kramer, B. The health-related quality of life effects of once-daily cetirizine HCl in patients with seasonal allergic rhinitis: a randomized double-blind, placebocontrolled trial, 351

Nordlee, J. A. see Grimshaw, K. E. C.

Nordvall, S. L. see Almqvist, C.

Nori, M., Iwata, S., Munakata, Y., Kobayashi, H., Kobayashi, S., Umezawa, Y., Hosono, O., Kawasaki, H., Dang, N. H., Tanaka, H., Shiohara, T. & Morimoto, C. Ebastine inhibits T cell migration, production of Th2-type cytokines and proinflammatory cytokines, 1544

Noro, Y. see Tsuji, R. F.

Nottegar, F. see Peroni, D. G.

Novelo Retana, V. see Aguilar León, D. E.

Novembre, E. see Pucci, N.

Nowak, B. see Tsuji, R. F.

Nyan, O. A. see Ota, M. O. C.

Obase, Y. see Tomari, S.

Ogawa, H., Nishimura, N., Nishioka, Y., Azuma, M., Yanagawa, H. & Sone, S. Adenoviral interleukin-12 gene transduction into human bronchial epithelial cells: up-regulation of pro-inflammatory cytokines and its prevention by corticosteroids, 921

Ogawa, T. see Sengoku, T.

Öğmen, G. G. see Topuz, B.

O'Hara, K. A., Kedda, M.-A., Thompson, P. J. & Knight, D. A. Oncostatin M: an interleukin-6-like cytokine relevant to airway remodelling and the pathogenesis of asthma, 1026

O'Hehir, R. E. see de Leon, M. P.

Ohshima, Y. see Higa, S.

Okabe, Y. see Itazawa, T.

Oldenwening, M. see van Strien, R. T.

Oldham, L. see Francis, H.

Olufade, A. O. see Noonan, M. J.

 Ono, S. J. Vernal keratoconjunctivitis: evidence for immunoglobulin E-dependent and immunoglobulin E-independent eosinophilia, 279
 Oosterwegel, M. A. see Deurloo, D. T. Oosting, A. J. see Rijssenbeek-Nouwens, L. H. M.

Opiekun, R. E., Smeets, M., Sulewski, M., Rogers, R., Prasad, N., Vedula, U. & Dalton, P. Assessment of ocular and nasal irritation in asthmatics resulting from fragrance exposure, 1256

Opperhuizen, A. see van Amsterdam, J. G. C.

Oreopoulos, D. see Wai, Y.

Oribe, Y. see Kita, T.

Oryszczyn, M.-P. see Siroux, V.

Österlund, P., Smedberg, T., Schröder, J. & Järvinen, K.-M. Expression of intercellular adhesion molecules on circulating lymphocytes in relation to different manifestations of cow's milk allergy, 1368

Ohkubo, Y. see Sengoku, T.

Ota, M. O. C., van der Sande, M. A. B., Walraven, G. E. L., Jeffries, D., Nyan, O. A., Marchant, A. & McAdam, K. P. W. J. Absence of association between delayed type hypersensitivity to tuberculin and atopy in children in The Gambia, 731

Overbeek, S. E. see Braunstahl, G.-J.

Ozdemir, C., Akkoc, T., Bahceciler, N. N., Kucukercan, D., Barlan, I. B. & Basaran, M. M. Impact of Mycobacterium vaccae immunization on lung histopathology in a murine model of chronic asthma, 266

Pace, M. L. see Siracusa, A.

Pacey, S. see Fogarty, A.

Pagani, J. see Ronchetti, R.

Page, K. see Bhat, R. K.

Pagé, N. see Bergeron, C.

Paggi, B. see Ronchetti, R.
Pajno, G. B., Vita, D., Parmiani, S., Caminiti, L., La Grutta, S. &
Barberio, G. Impact of sublingual immunotherapy on seasonal

asthma and skin reactivity in children allergic to *Parietaria* pollen treated with inhaled fluticasone propionate, 1641

Palosuo, K. see Lehto, M.

Papi, A. see Casoni, G. L.

Park, H.-S., Kim, H.-A., Jung, J.-W., Kim, Y.-K., Lee, S.-K., Kim, S.-S. & Nahm, D.-H. Metalloproteinase-9 is increased after toluene diisocyanate exposure in the induced sputum from patients with toluene diisocyanate-induced asthma, 113

Park, Y.-D. see Jeong, C.-W.

Parmiani, S. see Di Rienzo, V.

Parmiani, S. see Pajno, G. B.

Passalacqua, G. see Di Rienzo, V. Pastor, C. see Cuesta-Herranz, J.

Patterson, C. C. see Yarnell, J. W. G.

Patton, L. see Fernandes, J.

Paty, E. see Siroux, V.

Pavord, I. D. see Berry, M. A.

Pavord, I. D. see Brightling, C. E.

Pearce, N. E. see Burr, M. L.

Pekkanen, J. see Remes, S. T.

Pemberton, A. D., Brown, J. K., Wright, S. H., Knight, P. A., McPhee, M. L., McEuen, A. R., Forse, P. A. & Miller, H. R. P. Purification and characterization of mouse mast cell proteinase-2 and the differential expression and release of mouse mast cell proteinase-1 and -2 in vivo, 1005

Peng, Q. see Beghé, B.

Peng, Q. see Sayers, I.

Peng, Z. see Wai, Y.

Pérez, L. F. see González-Quintela, A.

Peroni, D. G., Piacentini, G. L., Alfonsi, L., Zerman, L., Di Blasi, P., Visona', G., Nottegar, F. & Boner, A. L. Rhinitis in pre-school children: prevalence, association with allergic diseases and risk factors, 1349

Pershagen, G. see Almqvist, C.

Persson, T., Monsef, N., Andersson, P., Bjartell, A., Malm, J., Calafat, J. & Egesten, A. Expression of the neutrophil-activating CXC chemokine ENA-78/CXCL5 by human eosinophils, 531 Petersen, A. see Seitzer, U.

Petersen, J. see Linneberg, A.

Peters-Golden, M. Do anti-leukotriene agents inhibit asthmatic inflammation?, 721

Peterson, C. G. B. see Erpenbeck, V. J.

Petschallies, J. see Erpenbeck, V. J.

Pettinari, L. see Siracusa, A.

Philip, G. see Figueroa, D. J. Piacentini, G. L. see Peroni, D. G.

Pickering, C. see Francis, H.

Pieczarka, E. M. see Miller, L. A.

Pin, I. see Siroux, V.

Pinamonti, S. see Casoni, G. L.

Pineau, F. see Battais, F.

Pinto, F. M. see Mechiche, H.

Pirie, R. S., Collie, D. D. S., Dixon, P. M. & McGorum, B. C. Inhaled endotoxin and organic dust participates have synergistic proinflammatory effects in equine heaves (organic dust-induced asthma), 676

Pirie, R. S., Dixon, P. M. & McGorum, B. C. Endotoxin contamination contributes to the pulmonary inflammatory and functional response to Aspergillus fumigatus extract inhalation in heaves horses, 1289

Pison, C. see Siroux, V.

Pistorio, M. P. see Polosa, R.

Pittner, G. see Westritschnig, K.

Plath, K. E. S., Grabbe, J. & Gibbs, B. F. Calcineurin antagonists differentially affect mediator secretion, p38 mitogen-activated protein kinase and extracellular signal-regulated kinases from immunologically activated human basophils, 342

Platts-Mills, T. A. E. see Custis, N. J.

Plopper, C. G. see Miller, L. A.

Pocock, S. J. see Katz, K. A.

Polosa, R., Li Gotti, F., Mangano, G., Mastruzzo, C., Pistorio, M. P. & Crimi, N. Monitoring of seasonal variability in bronchial hyperresponsiveness and sputum cell counts in non-asthmatic subjects with rhinitis and effect of specific immunotherapy, 873

Pons, D. see de Kluijver, J.

Ponsonby, A.-L. see Trevillian, L. F.

Popineau, Y. see Battais, F.

Popplewell, E. J. see Thornton, C. A.

Postma, D. S. see de Meer, G.

Postma, D. S. see Kerkhof, M.

Postma, D. S. see Koppelman, G. H.

Poulsen, L. K. see Bodtger, U.

Poulsen, L. K. see Jensen, B. M.

Pourazar, J. see Bosson, J.

Powe, D. G., Jagger, C., Kleinjan, A., Carney, A. S., Jenkins, D. & Jones, N. S. 'Entopy': localized mucosal allergic disease in the absence of systemic responses for atopy, 1374

Powell, R., Ren, J., Lewith, G., Barclay, W., Holgate, S. & Almond, J. Identification of novel expressed sequences, up-regulated in the leucocytes of chronic fatigue syndrome patients, 1450

Powell, W. S. see Boumiza, R.

Powell, W. S. see Monneret, G.

Prasad, N. see Opiekun, R. E.

Prescott, S. L., Taylor, A., King, B., Dunstan, J., Upham, J. W., Thornton, C. A. & Holt, P. G. Neonatal interleukin-12 capacity is associated with variations in allergen-specific immune responses in the neonatal and postnatal periods, 566

Prescott, S. L. see Dunstan, J. A.

Pringle, M. see Fogarty, A.

Prins, J.-B. see Braunstahl, G.-J.

Profita, M. see Bonsignore, M. R.

Proust, B., Nahori, M. A., Ruffie, C., Lefort, J. & Vargaftig, B. B. Persistence of bronchopulmonary hyper-reactivity and eosinophilic lung inflammation after anti-IL-5 or -IL-13 treatment in allergic BALB/c and IL-4Ra knockout mice, 119

Proust, B. see Adel-Patient, K.

Pucci, N., Novembre, E., Lombardi, E., Cianferoni, A., Bernardini, R., Massai, C., Caputo, R., Campa, L. & Vierucci, A. Atopy and serum eosinophil cationic protein in 110 white children with vernal keratoconjunctivitis: differences between tarsal and limbal forms, 325

Puccinelli, P. see Di Rienzo, V.

Puddicombe, S. M. see Doherty, G. M.

Puddicombe, S. M. see Hamilton, L. M.

Rabe, K. F. see Ricciardolo, F. L. M.

Radauer, C. see Förster-Waldl, E.

Ramadour, M. see Birnbaum, J.

Ramos, J. D. A., Cheong, N., Lee, B. W. & Chua, K. Y. Peptide mapping of immunoglobulin E and immunoglobulin G immunodominant epitopes of an allergenic Blomia tropicalis paramyosin, Blo t 11, 511

Rangaraj, S. & Doull, I. Hormones not hygeine? Birth order and atopy, 277

Raphael, G. D. see Noonan, M. J.

Raukas, E. see Raukas-Kivioja, A.

Raukas-Kivioja, A., Raukas, E., Loit, H.-M., Kiviloog, J., Rönmark, E., Larsson, K. & Lundbäck, B. Allergic sensitization among adults in Tallinn, Estonia, 1342

Rautiainen, J. see Immonen, A.

Raven, J. M. see Matheson, M. C.

Reese, G. see Fernandes, J.

Reijula, K. see Leino, M.

Reininger, R., Swoboda, I., Bohle, B., Hauswirt, A. W., Valent, P., Rumpold, H., Valenta, R. & Spitzauer, S. Characterization of recombinant cat albumin, 1695

Remes, S. T., Iivanainen, K., Koskela, H. & Pekkanen, J. Which factors explain the lower prevalence of atopy amongst farmers' children?, 427

Ren, J. see Powell, R.

Reshad, K. see Shirai, T.

Reshef, A. see Fernandes, J.

Reunala, T. see Lehto, M.

Rey, J. see González-Quintela, A.

Rho, N.-K. see Jeong, C.-W.

Rhyner, C. see Weichel, M.

Ricciardolo, F. L. M., Di Stefano, A., van Krieken, J. H. J. M., Sont, J. K., van Schadewijk, A., Rabe, K. F., Donner, C. F., Hiemstra, P. S., Sterk, P. J. & Mauad, T. Proliferation and inflammation in bronchial epithelium after allergen in atopic asthmatics, 905

Riccobono, L. see Bonsignore, M. R.

Richards, D. F. see Faith, A.

Richards, N. see Bremner, S. A.

Richardson, R. see Wai, Y. Richter, A. see Hamilton, L. M.

Richter, K. see Topp, R.

Ridout, S. see Murtagh, G. J.

Riederer, M. see Hauer, A. C.

Rijssenbeek-Nouwens, L. H. M., Oosting, A. J., Bruijnzeel-Koomen, C. A. F. M. & de Bruin-Weller, M. S. Anti-allergic mattress covers in asthma: to do or not to do?, 1613

Rinaldo, C. see Sunyer, J.

Ring, J. see Schäfer, T.

Riva, E. see Fiocchi, A.

Robinson, C. see Stewart, G. A.

Roever, A. C., Heine, G., Zuberbier, T. & Worm, M. Allergenmediated modulation of CD23 expression is interferon-y and interleukin-10 dependent in allergic and non-allergic individuals, 1568

Rogers, R. see Opiekun, R. E.

Rolland, J. M. see de Leon, M. P.

Rolland, J. M. see Matheson, M. C.

Ronchetti, R., Villa, M. P., Pagani, J., Martella, S., Guglielmi, F., Paggi, B., Bohmerova, Z., Falasca, C. & Barreto, M. Immediate skin reactivity to histamine and to allergens in cohorts of 9-year-old schoolchildren studied 16 years apart, 1232

Rönmark, E. see Raukas-Kivioja, A.

Roos, D. see J. Lie, W.

Rorke, S. see Beghé, B.

Rorke, S. see Sayers, I.

Rosegger, H. see Hauer, A. C.

Rostgaard, K. see Bager, P.

Rostgaard, K. see Westergaard, T.

Roumestan, C., Henriquet, C.. Bousquet, J. & Mathieu, M. Fluticasone propionate and mometasone furoate have equivalent transcriptional potencies, 895

Rowe, J. see Sharp, M. J.

Ruff, F. see Barbara, J.

Ruffie, C. see Proust, B.

Ruhdorfer, S. see Schäfer, T.

Rumpold, H. see Reininger, R.

Rycroft, R. see Cullinan, P.

Rytkönen-Nissinen, M. see Immonen, A.

Saarelainen, S. see Immonen, A.

Sachs, B. see Erdmann, S. M.

Sade, K., Holtzer, I., Levo, Y. & Kivity, S. The economic burden of antibiotic treatment of penicillin-allergic patients in internal medicine wards of a general tertiary care hospital, 501

Sade, K., Schwartz, I., Schwartz, D., Wolman, Y., Chernichovski, T., Fireman, E., Iaina, A. & Kivity, S. Effect of montelukast pretreatment on inducible nitric oxide synthase mRNA expression in the lungs of antigen-challenged allergic mice, 1741

Saito, A. see Yasueda, H.

Sakaguchi, M. see Tamura, Y.

Sakuma, S. see Sengoku, T.

Salib, R. J. & Howarth, P. H. Remodelling of the upper airways in allergic rhinitis: is it a feature of the disease?, 1629

Sampson, A. P. see Sayers, I.

Sandström, T. see Bosson, J.

Santais, M.-C. see Barbara, J.

Sanz, M. L. see de Weck, A.L.

Satoh, S. see Sengoku, T.

Savoye, J. see Boumiza, R.

Sawyer, J. see Sayers. I.

Sayers, I., Barton, S., Rorke, S., Sawyer, J., Peng, Q., Beghé, B., Ye, S., Keith, T., Clough, J. B., Holloway, J. W., Sampson, A. P. & Holgate, S. T. Promoter polymorphism in the 5-lipoxygenase (ALOX5) and 5-lipoxygenase-activating protein (ALOX5AP) genes and asthma susceptibility in a Caucasian population, 1103

Sayers, I. see Beghé, B.
Schade, R. P., Tiemessen, M. M., Knol, E. F., Bruijnzeel-Koomen, C.
A. F. M. & van Hoffen, E. The cow's milk protein-specific T cell

response in infancy and childhood, 725
Schäfer, T., Ruhdorfer, S., Weigl, L., Wessner, D., Heinrich, J.,
Döring, A., Wichmann, H.-E. & Ring, J. Intake of unsaturated
fatty acids and HDL cholesterol levels are associated with
manifestations of atopy in adults, 1360

Scheiner, O. see Förster-Waldl, E.

Scheiner, O. see Jahn-Schmid, B.

Schelegle, E. S. see Miller, L. A.

Scheynius, A. see Holmlund, U.

Schijf, M. A. see Smit, J. J.

Schiøtz, P. O. see Hoffmann, H. J.

Schmid, E. R. see Förster-Waldl, E.

Schmid-Grendelmeier, P. see Tresch, S.

Schmid-Grendelmeier, P. see Weichel, M.

Schneider, P. see Mari, A.

Schöll, I. see Förster-Waldl, E.

Schouten, J. P. see Koppelman, G. H.

Schröder, J. see Österlund, P.

Schuerwegh, A. J. see Ebo, D. G.

Schuerwegh, A. J. see Hagendorens, M. M.

Schwartz, D. see Sade, K.

Schwartz, I. see Sade, K.

Scichilone, N. see Bonsignore, M. R.

Scrivener, S. L. see Fogarty, A.

Seitzer, U., Bussler, H., Kullmann, B., Petersen, A., Becker, W.-M. & Ahmed, J. Characterization of immunoglobulin E responses in Balb/c mice against the major allergens of timothy grass (*Phleum pratense*) pollen, 669

Semper, H. see Mothes, N.

Sengler, C., Haider, A., Sommerfeld, C., Lau, S., Baldini, M., Martinez, F., Wahn, U., Nickel, R. & the German Multicenter Allergy Study Group. Evaluation of the CD14 C-159 T polymorphism in the German Multicenter Allergy Study cohort, 166

Sengoku, T., Sakuma, S., Satoh, S., Kishi, S., Ogawa, T., Ohkubo, Y. & Mutoh, S. Effect of FK506 eye drops on late and delayed-type responses in ocular allergy models, 1555

Sensi, L. see Di Rienzo, V.

Serizawa, N. see Tamura, Y.

Serra, H. M. see Martin, A. P.

Sexton, D. W. see Al-Rabia, M. W.

Seybold, J. see Noga, O.

Shakib, F. see Gough, L.

Shakur, B. H. see Corrigan, C. J.

Sharma, S., Lackie, P. M. & Holgate, S. T. Uneasy breather: the implications of dust mite allergens, 163

Sharp, M. J., Rowe, J., Kusel, M., Sly, P. D. & Holt, P. G. Specific patterns of responsiveness to microbial antigens staphylococcal enterotoxin B and purified protein derivative by cord blood mononuclear cells are predictive of risk for development of atopic dermatitis, 435

Shaw, R. see Bischof, R. J.

Sheikh, A. see Walker, S.

Shibasaki, M. see Jian, Z.

Shields, M. see Yarnell, J. W. G.

Shields, M. D. see Doherty, G. M.

Shim, J.-Y., Kim, B.-S., Cho, S.-H., Min, K.-U. & Hong, S.-J. Allergen-specific conventional immunotherapy decreases immunoglobulin E-mediated basophil histamine releasability, 52

Shimada, T., Cheng, L., Ide, M., Fukuda, S., Enomoto, T. & Shirakawa, T. Effect of lysed *Enterococcus fuecalis* FK-23 (LFK) on allergen-induced peritoneal accumulation of eosinophils in mice. 684

Shimizu, K. see Mizumura, K.

Shimoda, T. see Tomari, S.

Shimokata, K. see Ishikawa, T.

Shiner, R. see Corrigan, C. J.

Shiohara, T. see Nori, M.

Shirai, T., Reshad, K., Yoshitomi, A., Chida, K., Nakamura, H. & Taniguchi, M. Green tea-induced asthma: relationship between immunological reactivity, specific and non-specific bronchial responsiveness, 1252

Shirai, T., Suzuki, K., Inui, N., Suda, T., Chida, K. & Nakamura, H. Th1/Th2 profile in peripheral blood in atopic cough and atopic asthma. 84

Shiraishi, A. see Tamura, Y.

Shiraishi, S. see Asai, K.

Shirakawa, T. see Shimada, T.

Shute, J. K. see Thornton, C. A.

Sibanda, E. see Westritschnig, K.

Silverman, M. see Mckean, M. C. Simeon, D. T. see Ivey, M. A.

Simon-Nobbe, B. see Mari, A.

Simons, F. E. R. see Holgate, S. T.

Simpson, A., Simpson, B., Custovic, A., Craven, M. & Woodcock, A. Stringent environmental control in pregnancy and early life: the long-term effects on mite, cat and dog allergen, 1183

Simpson, B. see Simpson, A. 1183

Singer, M. see Hubeau, C.

Singh, B. P. see Bijli, K. M.

Siracusa, A., Marcucci, F., Spinozzi, F., Marabini, A., Pettinari, L., Pace, M. L. & Tacconi, C. Prevalence of occupational allergy due to live fish bait, 507

Siroux, V., Oryszczyn, M.-P., Paty, E., Kauffmann, F., Pison, C., Vervloet, D. & Pin, I. Relationships of allergic sensitization, total immunoglobulin E and blood eosinophils to asthma severity in children of the EGEA Study, 746

Skibinski, G. see Doherty, G. M.

Skov, P. S. see Jensen, B. M.

Sly, P. D. see Sharp, M. J.

Smart, J. M., Suphioglu, C. & Kemp, A. S. Age-related T cell responses to allergens in childhood, 317

Smedberg, T. see Österlund, P.

Smeeton, N. see Luczynska, C.

Smeets, M. see Opiekun, R. E.

Smit, H. A. see Kerkhof, M.

Smit, H. A. see van Strien, R. T.

Smit, J. J., Van Loveren, H., Hoekstra, M. O., Schijf, M. A., Folkerts, G. & Nijkamp, F. P. Mycobacterium vaccae administration during allergen sensitization or challenge suppresses asthmatic features. 1083

Smith, W. see Thomas, W. R.

Snibson, K. see Bischof, R. J.

Sommerfeld, C. see Sengler, C.

Sone, S. see Ogawa, H.

Sont, J. K. see Ricciardolo, F. L. M.

Sperr, W. R. see Mothes, N.

Spinozzi, F. see Siracusa, A.

Spitzauer, S. see Harwanegg, C.

Spitzauer, S. see Reininger, R.

Spitzauer, S. see Westritschnig, K.

Springer, G. see Sunyer, J.

Sridhara, S. see Bijli, K. M.

Steerenberg, P. A. see van Amsterdam, J. G. C.

Stenfors, N. see Bosson, J.

Stenz, R. see Cullinan, P.

Sterk, P. J. see de Kluijver, J.

Sterk, P. J. see Ricciardolo, F. L. M.

Stevens, W. J. see Ebo, D. G.

Stevens, W. J. see Hagendorens, M. M.

Stevenson, M. R. see Yarnell, J. W. G.

Stewart, G. A. & Robinson, C. The immunobiology of allergenic peptidases, 3

Stone, S. see Dearman, R. J.

Strachan, D. P. see Bremner, S. A.

Strachan, D. P. see Katz, K. A.

Suarez, F. see González-Quintela, A.

Suda, T. see Shirai, T.

Sulewski, M. see Opiekun, R. E.

Sunyer, J., Springer, G., Jamieson, B., Conover, C., Detels, R., Rinaldo, C., Margolick, J. & Muñoz, A. Effects of asthma on cell components in peripheral blood among smokers and non-smokers, 1500

Suomalainen, H. see Järvinen, K.-M.

Suphioglu, C. Analysis of immunoglobulin E-mediated responses in central Africa, 1

Suphioglu, C. see de Leon, M. P.

Suphioglu, C. see Smart, J. M.

Suzuki, K. see Shirai, T.

Svartengren, M. see Almqvist, C.

Svartengren, M. see Böhme, M.

Sverremark Ekström, E. see Holmlund, U.

Swoboda, I. see Reininger, R.

Symon, F. A. see Brightling, C. E.

Tabbah, K. see Varney, V. A.

Tacconi, C. see Siracusa, A.

Taeumer, T. see Beeh, K. M.

Taglialatela, M. see Holgate, S. T.

Takahashi, K. see Takao, K.

Takao, K., Tanimoto, Y., Fujii, M., Hamada, N., Yoshida, I., Ikeda, K., Imajo, K., Takahashi, K., Harada, M. & Tanimoto, M. In vitro expansion of human basophils by interleukin-3 from granulocyte colony-stimulating factor-mobilized peripheral blood stem cells, 1561

Takemori, T. see Tamura, Y.

Tamura, Y., Kawaguchi, J., Serizawa, N., Hirahara, K., Shiraishi, A., Nigi, H., Taniguchi, Y., Toda, M., Inouye, S., Takemori, T. & Sakaguchi, M. Analysis of sequential immunoglobulin E-binding epitope of Japanese cedar pollen allergen (Cry j 2) in humans, monkeys and mice, 211

Tan, A. see Bhat, R. K.

Tanaka, H. see Masuda, T.

Tanaka, H. see Nori, M.

Tanaka, T. see Higa, S.

Taniguchi, M. see Shirai, T.

Taniguchi, Y. see Tamura, Y.

Tanimoto, M. see Takao, K.

Tanimoto, Y. see Takao, K.

Tarlo, S. M. see Wai, Y.

Taylor, A. see Prescott, S. L.

Taylor, A. L. see Dunstan, J. A.

Tedeschi, A., Barcella, M., Dal Bo, G. A. & Miadonna, A. Onset of allergy and asthma symptoms in extra-European immigrants to Milan, Italy: possible role of environmental factors, 449

Telemo, E. see Magnusson, J.

Terai, K. see Ichiyama, T.

Terho, E. O. see Mattila, L.

Tharp, M. see Holgate, S. T.

The increase in allergic disease: environment and susceptibility.

Proceedings of a Symposium held at the Royal Society of Edinburgh, 4th June 2002, 394

Thien, F. C. K. see Matheson, M. C.

Thomas, W. see Westritschnig, K.

Thomas, W. R., Hales, B. J. & Smith, W. Blomia tropicalis: more than just another source of mite allergens, 416

Thompson, P. J. see O'Hara, K. A.

Thompson, P. J. see Vally, H.

Thomson, L. see Al-Rabia, M. W.

Thomson, N. C., Chaudhuri, R. & Livingston, E. Active cigarette smoking and asthma, 1471

Thornton, C. A., Holloway, J. A., Popplewell, E. J., Shute, J. K., Boughton, J. & Warner, J. O. Fetal exposure to intact immunoglobulin E occurs via the gastrointestinal tract, 306

Thornton, C. A. see Prescott, S. L.

Thornton, E. M. see Brown, J. K.

Tiemessen, M. M. see Schade, R. P.

Timmerman, H. see Holgate, S. T.

Toda, M. see Tamura, Y

Tomari, S., Matsuse, H., Machida, I., Kondo, Y., Kawano, T., Obase, Y., Fukushima, C., Shimoda, T. & Kohno, S. Pranlukast, a cysteinyl leukotriene receptor 1 antagonist, attenuates allergenspecific tumour necrosis factor alpha production and nuclear factor kappa B nuclear translocation in peripheral blood monocytes from atopic asthmatics, 795

Tool, A. T. J. see J. Lie, W.

Topp, R., Wimmer, K., Fahlbusch, B., Bischof, W., Richter, K., Wichmann, H.-E. & Heinrich, J. for the INGA Study Group.

Repeated measurements of allergens and endotoxin in settled house dust over a time period of 6 years, 1659

Topuz, B. & Öğmen, G. G. Montelukast as an adjuvant to mainstay therapies in patients with seasonal allergic rhinitis, 823

Torres-Lozano, C. see Hamilton, L. M.

Toyoda, M., Nakamura, M., Makino, T. & Morohashi, M. Localization and content of nerve growth factor in peripheral blood eosinophils of atopic dermatitis patients, 950

Toyoda, M. see Itazawa, T. Travaini, M. see Fiocchi, A.

Tredwell, E. see Luczynska, C.

Tresch, S., Holzmann, D., Baumann, S., Blaser, K., Wüthrich, B., Crameri, R. & Schmid-Grendelmeier, P. In vitro and in vivo allergenicity of recombinant Bet v 1 compared to the reactivity of natural birch pollen extract, 1153

Treu, R. see Burr, M. L.

Trevillian, L. F., Ponsonby, A.-L., Dwyer, T., Lim, L. L.-Y., Kemp, A., Cochrane, J. & Carmichael, A. An association between plastic mattress covers and sheepskin underbedding use in infancy and house dust mite sensitization in childhood: a prospective study, 483 Tsai, C.-C. see Hsieh, K.-Y.

Tsang, K. W. see Wu, A. Y.

Tsicopoulos, A. & de Nadai, P. Antihistamines as anti-inflammatory agents, 1476

Tsui, V. see Wai, Y.

Tsuji, N. M. see Tsuji, R. F.

Tsuji, R. F., Hoshino, K., Noro, Y., Tsuji, N. M., Kurokawa, T., Masuda, T., Akira, S. & Nowak, B. Suppression of allergic reaction by λ-carrageenan: Toll-like receptor 4/MyD88-dependent and -independent modulation of immunity, 249

Tuomi, T. see Leino, M.

Turpeinen, M. see Järvinen, K.-M.

Tursi, A. see Nettis, E.

Tyler, N. K. see Miller, L. A.

Uddman, R. see Kinhult, J.
Uguccioni, M. see Martín, A. P.
Umeda, M. see Ichiyama, T.
Umezawa, Y. see Nori, M.
Upham, J. W. see Prescott, S. L.

Vaarala, O. Immunological effects of probiotics with special reference to lactobacilli. 1634

Valent, P. see Mothes, N.

Valent, P. see Reininger, R.

Valenta, R. see Harwanegg, C.

Valenta, R. see Mothes, N.

Valenta, R. see Reininger, R.

Valenta, R. see Westritschnig, K.

Vally, H. & Thompson, P. J. Alcoholic drink consumption: a role in the development of allergic disease?, 156

van Amsterdam, J. G. C., Janssen, N. A. H., de Meer, G., Fischer, P. H., Nierkens, S., van Loveren, H., Opperhuizen, A., Steerenberg, P. A. & Brunekreef, B. The relationship between exhaled nitric oxide and allergic sensitization in a random sample of school children, 187

van Berkel, M. A. T. see Deurloo, D. T.

Van Bever, H. P. see Hagendorens, M. M.

van der Heide, S. see Koppelman, G. H.

van der Sande, M. A. B. see Ota, M. O. C.

van Esch, B. C. A. M. see Deurloo, D. T.

van Hage-Hamsten, M. see Almqvist, C.

Van Heeke, G. see Gough, L.

van Hoffen, E. see Schade, R. P.

van Krieken, J. H. J. M. see Ricciardolo, F. L. M.

Van Loveren, H. see Smit, J. J.

van Loveren, H. see van Amsterdam, J. G. C.

van Oosterhout, A. J. M. see Deurloo, D. T.

van Schadewijk, A. see Ricciardolo, F. L. M.

van Strien, R. T., Koopman, L. P., Kerkhof, M., Oldenwening, M., de Jongste, J. C., Gerritsen, J., Neijens, H. J., Aalberse, R. C., Smit, H. A. & Brunekreef, B. Mattress encasings and mite allergen levels in the Prevention and Incidence of Asthma and Mite Allergy study, 490

van Strien, R. T. see Kerkhof, M.

van Toorenenbergen, A. W. see Vermeulen, A. M.

Van Winkle, L. S. see Miller, L. A.

Vandekerckhove, P. see Hellings, P. W.

Vargaftig, B. see Hubeau, C.

Vargaftig, B. B. see Adel-Patient, K.

Vargaftig, B. B. see Proust, B.

Varjonen, E. see Lehto, M.

Varney, V. A., Tabbah, K., Mavroleon, G. & Frew, A. J. Usefulness of specific immunotherapy in patients with severe perennial allergic rhinitis induced by house dust mite: a double-blind, randomized, placebo-controlled trial, 1076

Vaughan, J. W. see Custis, N. J.

Vedula, U. see Opiekun, R. E.

Vercelli, D. Learning from discrepancies: CD14 polymorphisms, atopy and the endotoxin switch, 153

Verhoef, A. see Faith, A.

Verin, P. see Mortemousque, B.

Vermeulen, A. M., Groenewoud, G. C. M., de Jong, N. W., de Groot, H., Gerth van Wijk, R. & van Toorenenbergen, A. W. Primary sensitization to sweet bell pepper pollen in greenhouse workers with occupational allergy, 1439

Vervloet, D. see Birnbaum, J.

Vervloet, D. see Boniface, S.

Vervloet, D. see Siroux, V.

Vidal, C. see González-Quintela, A.

Vidarte, L. see Cuesta-Herranz, J.

Vierucci, A. see Pucci, N.

Vignola, A. M. see Bonsignore, M. R.

Villa, M. P. see Ronchetti, R.

Virtanen, T. see Immonen, A.

Visona', G. see Peroni, D. G.

Vita, D. see Pajno, G. B.

Vivanco, F. see Cuesta-Herranz, J.

Voor, T. see Böttcher, M. F.

Vrtala, S. see Westritschnig, K.

Vrugt, B. see Hamilton, L. M.

Wachholz, P. A. & Durham, S. R. Induction of 'blocking' IgG antibodies during immunotherapy, 1171

Wahlgren, C. F. see Böhme, M.

Wahn, U. see Sengler, C.

Wai, Y., Tsui, V., Peng, Z., Richardson, R., Oreopoulos, D. & Tarlo, S. M. Anaphylaxis from topical bovine thrombin (Thrombostat*) during haemodialysis and evaluation of sensitization among a dialysis population, 1730

Wal, J.-M. see Adel-Patient, K.

Walker, S. & Sheikh, A. Managing anaphylaxis: effective emergency and long-term care are necessary, 1015

Wallner, M. see Mari, A.

Wally, V. see Mari, A.

Walraven, G. E. L. see Ota, M. O. C.

Walsh, G. M. see Al-Rabia, M. W.

Walsh, G. M. see Blaylock, M. G.

Wang, D. Y. see Yang, L.

Wardlaw, A. J. see Brightling, C. E.

Wardlaw, A. J. see Brightling, C. E.

Warke, T. J. see Doherty, G. M.

Warner, J. O. see Grimshaw, K. E. C.

Warner, J. O. see Thornton, C. A.

Waterhouse, L. M. see Kurukulaaratchy, R. J.

Webb, D. C. see Foster, P. S.

Weichel, M., Schmid-Grendelmeier, P., Rhyner, C., Achatz, G., Blaser, K. & Crameri, R. Immunoglobulin E-binding and skin test reactivity to hydrophobin HCh-1 from *Cladosporium herbarum*, the first allergenic cell wall component of fungi, 72

Weigl, L. see Schäfer, T.

Wenzel, S., Mechanisms of severe asthma, 1622

Wessner, D. see Schäfer, T.

Westergaard, T., Begtrup, K., Rostgaard, K., Krause, T. G., Benn, C. S. & Melbye, M. Reproductive history and allergic rhinitis among 31145 Danish women, 301

Westergaard, T. see Bager, P.

Westritschnig, K., Sibanda, E., Thomas, W., Auer, H., Aspöck, H., Pittner, G., Vrtala, S., Spitzauer, S., Kraft, D. & Valenta, R. Analysis of the sensitization profile towards allergens in central Africa, 22

Wichmann, H.-E. see Schäfer, T.

Wichmann, H.-E. see Bolte, G.

Wichmann, H.-E. see Topp, R.

Wickman, M. see Böhme, M.

Wickman, M. see Almqvist, C.

Wijga, A. see Kerkhof, M.

Williams, S. see Cullinan, P.

Wilson, A. M. see Currie, G. P.

Wilson, S. see Bosson, J.

Wilson, S. J. see Hamilton, L. M.

Wimmer, K. see Topp, R.

Windt, H. see Krug, N.

Wöhrl, S. see Focke, M.

Wolman, Y. see Sade, K.

Wong, C. K. see Ip, W. K.

Woodcock, A. see Gore, R. B.

Woodcock, A. see Simpson, A. 1183

Woodfolk, J. A. see Custis, N. J.

Woodhouse, C. see Cullinan, P.

Woods, R. K. see Matheson, M. C.

Worm, M. see Roever, A. C.

Wright, S. H. see Brown, J. K.

Wright, S. H. see Pemberton, A. D.

Wu, A. Y., Chik, S. C., Chan, A. W., Li, Z., Tsang, K. W. & Li, W. Anti-inflammatory effects of high-dose montelukast in an animal model of acute asthma, 359

Wüthrich, B. see Tresch, S.

Xiang, Z. see Möller, C.

Yamaguchi, E. see Higa, S.

Yamaki, K. see Ishikawa, T.

Yanagawa, H. see Ogawa, H.

Yanai, K. see Holgate, S. T. Yang, J.-M. see Jeong, C.-W

 Yang, L., Cheong, N., Wang, D. Y., Lee, B. W., Kuo, I. C., Huang, C.
 H. & Chua, K. Y. Generation of monoclonal antibodies against Blo t 3 using DNA immunization with in vivo electroporation, 663

Yang, M. see Foster, P. S.

Yarnell, J. W. G., Stevenson, M. R., MacMahon, J., Shields, M., McCrum, E. E., Patterson, C. C., Evans, A. E., Manning, P. J. & Clancy, L. Smoking, atopy and certain furry pets are major determinants of respiratory symptoms in children: the International Study of Asthma and Allergies in Childhood Study (Ireland), 96

Yasueda, H., Saito, A., Nishioka, K., Kutsuwada, K. & Akiyama, K. Measurement of *Dermatophagoides* mite allergens on bedding and

human skin surfaces, 1654

Yazdanbakhsh, M. see Matricardi, P. M.

Ye, S. see Sayers, I.

Yoo, Y. see Kim, C. K.

Yoshida, I. see Takao, K.

Yoshikawa, J. see Asai, K.

Yoshimi, Y. see Kita, T.

Yoshitomi, A. see Shirai, T.

Yura, A. see Miyake, Y.

Zabel, M. see Lindemann, M. Zerman, L. see Peroni, D. G.

Zervas, E. see Gaga, M.

Zuberbier, T. see Roever, A. C.

